





The set is designed for the emergency repair of defective and damaged pipes and pipelines. It comprises one WEICON Repair Stick Multi-Purpose, a special repair tape made of fibreglassreinforced plastic, instructions for use and a pair of protective gloves. The repair tape is impregnated with a special resin and activated by contact with water.

#### VIDEO



Pipe diameter	<b>3.5 bar</b> (50.76 psi) <b>10 layers</b>	<b>10 bar</b> (145.04 psi) <b>15 layers</b>	<b>30 bar</b> (435,11 psi) <b>20 layers</b>
mm	(cmx metres)	(cm x metres)	(cm x metres)
12.5	1 (5 x 1.5)	1 (5 x 1.5)	1 (5 x 1.5)
19	1 (5 x 1.5)	1 (5 x 1.5)	1 (5 x 1.5)
25	1 (5 x 1.5)	1 (5 x 1.5)	1 (5 x 3.5)
32	1 (5 x 1.5)	1 (5 x 3.5)	1 (5 x 3.5)
38	1 (5 x 1.5)	1 (5 x 3.5)	1 (5 x 3.5)
50	1 (5 x 3.5)	1 (5 x 3.5)	1 (5 x 3.5)
63	1 (5 x 3.5)	1 (5 x 3.5)	2 (10 x 3.5)
75	1 (5 x 3.5)	1 (5 x 3.5)	2 (10 x 3.5)
88	1 (5 x 3.5)	2 (10×3.5)	2 (10 x 3.5)
100	1 (5 x 3.5)	2 (10×3.5)	2 (10 x 3.5)
125	2 (10×3.5)	2 (10×3.5)	3 (10 x 3.5)
150	2 (10×3.5)	2 (10×3.5)	1 (12.5 x 10)
200	2 (10×3.5)	1 (12.5 x 10)	2 (12.5 x 10)
250	3 (10×3.5)	2 (12.5 x 10)	2 (12.5 x 10)
300	1 (12.5 x 10)	2 (12.5 x 10)	2 (12.5 x 10)
350	2 (12.5 x 10)	2 (12.5 x 10)	3 (12.5 x 10)
400	2 (12.5 x 10)	2 (12.5 x 10)	3 (12.5 x 10)
450	2 (12.5 x 10)	3 (12.5 x 10)	3 (12.5 x 10)

# **Surface Pre-Treatment**

Surfaces must be clean, dry and free of grease. Almost all surface contaminations, such as e.g. old colour residues, oil, grease, dust and dirt, can be removed with WEICON Surface Cleaner or WEICON Sealant and Adhesive Remover.


On very heavily soiled or smooth surfaces, the adhesion can be improved by mechanical roughening with coarse abrasives.





ssure on the pipe

#### **Processing of WEICON Repair Stick**




Processing of WEICON Pipe Repair-Tape




Immerse Repair-Tap

# Wrapping Techniques


## Wrapping technique on tapered tube



## Wrapping technique on pipe bends



## Wrapping technique on T-piece



# **Curing and Processing**



Moisten thoroughly during wrapping



Moisten thoroughly after wrapping



Fully cured within 30 minutes

#### Storage

Store WEICON Pipe Repair-Kit at room temperature in a dry place. Unopened containers can be stored at temperatures of +18°C to +28°C for at least 24 months after delivery.

#### **WEICON GmbH & Co. KG**

Königsberger Str. 255 · DE-48157 Münster P.O. Box 84 60 · DE-48045 Münster Germany phone +49 (0) 251 9322 0 WhatsApp + 49 (0) 251 9322 393 info@weicon.de