

Technical Sprays

Rust Loosener

Rust Converter



Rust converter and base coat in one process

WEICON Rust Converter: For the effective neutralisation of rust on rusty cast iron and steel surfaces. Protects from corrosion and is suitable for indoor and outdoor use.

The Rust Converter is based on epoxy resin and forms a metallic-organic iron complex with the rust layer. This connection is stabilised by the special epoxy resin, which protects metals from external impacts. The black layer formed serves as base coat and is the foundation for the subsequent, permanent coating.

The spray is anti-corrosive, has excellent capillary action and a high opacity. It is temperature-resistant up to $+80\,^{\circ}\text{C}$ (short-term < 15 min. up to $+160\,^{\circ}\text{C}$), has good weather and UV resistance as well as excellent resistance to solvents. WEICON Rust Converter is free of heavy metals and mineral-acid.

Rust Converter can be applied to all rusty areas, e.g. on machines or in plants, on agricultural equipment as well as motor vehicles. The spray can also be used as a protective, rust preventive layer.

Technical data

Odour	Synthetic resin
Colour	white, milky
Specific properties	Rust converter, primer, sealant
Silicone-free	yes
Minimum shelf life at room temperature	24 mon.
Temperature resistance	-50 °C to briefly +80 °C (< 15 min.) to +160 °C

Approvals / Guidelines

IMPA Code		450820
MIL-Spec	complies with	MIL-T-83523

Surface Pre-Treatment

The surface needs to be dry and free of dust, oil and grease. Remove loose rust, grease, dirt and paint with a wire brush, grinding

disc etc. Remove grinding dust. Clean the surface (WEICON Cleaner Spray S)

Application

Carry out one to two spray applications from a distance of 25-30 cm. Observe flash-off time of approx. 3 - 5 minutes between spray applications. After full cure (approx. two hours), the final coating can be applied. Check surface compatibility prior to use.

Storage

Container is pressurised. Protect from direct sunlight and temperatures above +50 °C.

Instructions for use

When using WEICON products, the physical, safety-related, toxicological and ecological data and regulations in our EC safety data sheets (www.weicon.com) must be observed.

Available sizes

10047458 Rust Converter, 400 ml, white, milky

To the product deta



Note
The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.

Spain phone +34 (0) 914 7997 34

WEICON Italia S.r.L. Italy phone +39 (0) 010 2924 871 info@weicon it WEICON Romania SRL Romania phone +40 (0) 3 65 730 763 office@weicon.com

WEICON SA (Pty) Ltd South Africa phone +27 (0) 21 709 0088 info@weicon.co.za WEICON South East Asia Pte Ltd Singapore Phone (+65) 6710 7671

WEICON Kimya Sanayi Tic. Ltd. Şti. Türkiye phone +90 (0) 212 465 33 65