

## Surface and Anti-Corrosion Coating

# Corro-Protection



### Corrosion protection of metal parts for indoor storages

WEICON Corro-Protection is a protective film approved by the German TÜV. It permanently preserves metal tools and precision components with a dry and waxy layer.

WEICON Corro-Protection can be used as safe corrosion protection for bare, unpainted metal parts, for the indoor storage of work pieces, as corrosion protection during overseas transport and for the conservation of tools and precision components.

The protective film can be removed easily (e.g. with WEICON Cleaner S).

### Application

Clean and degrease surfaces with WEICON Cleaner Spray S. Apply WEICON Corro-Protection (Spray). After approx. 3 - 4 h, the layer is fully cured at room temperature. To increase the corrosion protection, several layers can be applied. The protective layer can be removed with WEICON Cleaner Spray S.

### Storage

Container is pressurised. Protect from direct sunlight and temperatures above +50 °C.

### Instructions for use

When using WEICON products, the physical, safety-related, toxicological and ecological data and regulations in our EC safety data sheets ([www.weicon.com](http://www.weicon.com)) must be observed.

### Available sizes

10000157 Corro-Protection, 400 ml, colourless

### Technical data

Odour	solvent	
Specific properties	based on wax	
Silicone-free	yes	
Consumption	per 1.5 crosswise application	~ 2 m <sup>2</sup>
Minimum shelf life	at room temperature	24 mon.
Salt spray test	DIN 53167:1985-12	> 500 h
Temperature resistance	-20 °C to +80 °C	

### Approvals / Guidelines

ISSA Code	53.402.08	
IMPA Code	450815	
MIL-Spec	complies with	MIL-T-83523

To the product detail page:



### Note

The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.

WEICON Middle East L.L.C.  
United Arab Emirates  
phone +971 4 880 25 05  
[info@weicon.ae](mailto:info@weicon.ae)

WEICON Czech Republic s.r.o.  
Czech Republic  
phone +42 (0) 417 533 013  
[info@weicon.cz](mailto:info@weicon.cz)

WEICON GmbH & Co. KG  
(Headquarters) Germany  
phone +49 (0) 251 9322 0  
[info@weicon.de](mailto:info@weicon.de)

WEICON Romania SRL  
Romania  
phone +40 (0) 3 65 730 763  
[office@weicon.com](mailto:office@weicon.com)

WEICON South East Asia Pte Ltd  
Singapore  
Phone (+65) 6710 7671  
[info@weicon.com.sg](mailto:info@weicon.com.sg)

WEICON Inc.  
Canada  
phone +1 877 620 8889  
[info@weicon.ca](mailto:info@weicon.ca)

WEICON Ibérica S.L.  
Spain  
phone +34 (0) 914 7997 34  
[info@weicon.es](mailto:info@weicon.es)

WEICON Italia S.r.l.  
Italy  
phone +39 (0) 010 2924 871  
[info@weicon.it](mailto:info@weicon.it)

WEICON SA (Pty) Ltd  
South Africa  
phone +27 (0) 21 709 0088  
[info@weicon.co.za](mailto:info@weicon.co.za)

WEICON Kimya Sanayi Tic. Ltd. Şti.  
Türkiye  
phone +90 (0) 212 465 33 65  
[info@weicon.com.tr](mailto:info@weicon.com.tr)