

# Allround Sealing Spray



Paintable | for indoor and outdoor use

WEICON Allround Sealing Spray is a strongly adhesive, sprayable plastic for the sealing of leaks. It was developed especially for sealing thin cracks and seams indoors and outdoors. It can be used for the sealing of various components, such as gutters, sewage and drainage pipes, caravans, mobile homes, boats, roofs, windows, pool walls, pond foils, cellar shafts and ventilation shafts. Allround Sealing Spray adheres to many surfaces, like stone, metal, plastic, wood, enamel, and many more. The spray is paintable, waterproof and weather- and UV-resistant. It protects metals against corrosion and is free of bitumen and silicone.

## Application

Before use, the surface must be clean and dry. Shake Allround Sealing Spray thoroughly before use. Spray on from a distance of approx. 25 cm.

## Storage

Container is pressurised. Protect from direct sunlight and temperatures above +50 °C.

## Instructions for use

When using WEICON products, the physical, safety-related, toxicological and ecological data and regulations in our EC safety data sheets ([www.weicon.com](http://www.weicon.com)) must be observed.

## Available sizes

- 10049571 Allround Sealing Spray, 400 ml, grey
- 10052243 Allround Sealing Spray, 400 ml, white
- 10052245 Allround Sealing Spray, 400 ml, black

## Technical data

Base	Styrene Butadiene Rubber	
Odour	solvent	
Specific properties	seals fast and reliably	
Silicone-free	yes	
Consumption	per 1.5 crosswise application	~ 1 m <sup>2</sup>
Minimum shelf life	at room temperature	24 mon.
Can be painted	after 20 min.	
Cure time	2 - 4 h	
Temperature resistance	-50 °C to +100 °C	

To the product detail page:



## Note

The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.

WEICON Middle East L.L.C.  
United Arab Emirates  
phone +971 4 880 25 05  
info@weicon.ae

WEICON Czech Republic s.r.o.  
Czech Republic  
phone +42 (0) 417 533 013  
info@weicon.cz

WEICON GmbH & Co. KG  
(Headquarters) Germany  
phone +49 (0) 251 9322 0  
info@weicon.de

WEICON Romania SRL  
Romania  
phone +40 (0) 3 65 730 763  
office@weicon.com

WEICON South East Asia Pte Ltd  
Singapore  
Phone (+65) 6710 7671  
info@weicon.com.sg

WEICON Inc.  
Canada  
phone +1 877 620 8889  
info@weicon.ca

WEICON Ibérica S.L.  
Spain  
phone +34 (0) 914 7997 34  
info@weicon.es

WEICON Italia S.r.l.  
Italy  
phone +39 (0) 010 2924 871  
info@weicon.it

WEICON SA (Pty) Ltd  
South Africa  
phone +27 (0) 21 709 0088  
info@weicon.co.za

WEICON Kimya Sanayi Tic. Ltd. Şti.  
Türkiye  
phone +90 (0) 212 465 33 65  
info@weicon.com.tr