

Activating Cleaner

cleaner and primer in one product | for the pretreatment of bonding surfaces

Universal cleaning agent and bonding agent in one product. Specially developed for the pre-treatment of smooth surfaces, such as stainless steel, glass and plastics. The spray is used for the optimal preparation of non-absorbent surfaces. The cleaning and activation of non-porous substrates is carried out in only one work step. The spray can improve the adhesive force of the applied adhesive if necessary.

The activating cleaner has a short flash-off time and can be applied quickly and easily. This makes it ideal for application in industrial series production with short cycle times or for bonding that has to be carried out at short notice.

Surface Pre-Treatment

Spray the activating cleaner liberally from a distance of 20 cm and wipe the surface with a lint-free cloth in one direction. After 10 minutes' flash-off time, the bonding should be carried out within 6 hours. In case of longer storage times or repeated contamination in the meantime, clean and apply primer to the adherends once again. For unfamiliar materials, suitability and compatibility tests are indispensable.

Instructions for use

When using WEICON products, the physical, safety-related, toxicological and ecological data and regulations in our EC safety data sheets (www.weicon.com) must be observed.

Available sizes

10062859 Activating Cleaner, 400 ml, transparent

Technical Data

Base	solvent mixture with additives
Colour	transparent
Specific properties	Cleaner / Primer for Elastic Adhesives and Sealants
Evaporation time	~ 10 min.
Texture	liquid
Density	(+20°C) DIN 51757
Processing temperature	0,7 g/ml
Consumption	+5°C to +25°C
Minimum shelf life	20 - 60 ml/m²
at room temperature	24 mon.

Approvals / Guidelines

MIL-Spec	complies with	A-A-59281
----------	---------------	-----------

To the product detail page:



Note

The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.

WEICON Middle East L.L.C.
United Arab Emirates
phone +971 4 880 25 05
info@weicon.ae

WEICON Inc.
Canada
phone +1 877 620 8889
info@weicon.ca

WEICON Czech Republic s.r.o.
Czech Republic
phone +42 (0) 417 533 013
info@weicon.cz

WEICON Ibérica S.L.
Spain
phone +34 (0) 914 7997 34
info@weicon.es

WEICON GmbH & Co. KG
(Headquarters) Germany
phone +49 (0) 251 9322 0
info@weicon.de

WEICON Italia S.r.l.
Italy
phone +39 (0) 010 2924 871
info@weicon.it

WEICON Romania SRL
Romania
phone +40 (0) 3 65 730 763
office@weicon.com

WEICON SA (Pty) Ltd
South Africa
phone +27 (0) 21 709 0088
info@weicon.co.za

WEICON South East Asia Pte Ltd
Singapore
Phone (+65) 6710 7671
info@weicon.com.sg

WEICON Kimya Sanayi Tic. Ltd. Şti.
Türkiye
phone +90 (0) 212 465 33 65
info@weicon.com.tr