



WEICON Products for

CAMPING & CARAVAN



www.weicon.com

V 1.24



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID: 9108636595

WEICON Products for

CAMPING AND CARAVAN

No matter if it is a **camper trailer, caravan** or **motorhome** – your own leisure vehicle should bring you joy and ideally be a loyal travel companion for a long time. That is why the right care and maintenance of the interior and exterior are extremely important.

WEICON products help you to keep your home on wheels in good condition for as long as possible. The product range is wide and offers the right solution for various purposes, both during the camping season and also for putting your mobile home in mothballs during winter.



With the **Foam Cleaner**, the sanitary facilities or the kitchen can be thoroughly cleaned before polishing the surfaces with **Metal-Fluid**.

For a TV, navigation system or backup camera, our **Screen Cleaner** is perfect. Fittings and rubber parts can be cared for ideally with **Cockpit Spray**.

In case of smaller repair works, WEICON Adhesives are a perfect choice:

The awning can be mended with **GMK 2410 Contact Adhesive**, plastic components can be bonded with **Plastic-Bond** and smaller leaks can be sealed with **Allround Sealing Spray**.

If towel rails or hooks need to be attached fast, our **Mounting Tape** is a handy helper. All screws on the chassis can be secured with **WEICONLOCK® AN 302-70**.

As corrosion protection, for greasing and lubrication, depending on the application, **W 44 T® Multi-Spray**, **Contact Spray** and **Rust Converter Spray** as well as **Anti-Seize Assembly Paste** or **AL-W High Performance Grease** are perfectly suited.

With the **WEICON TOOLS**, the right tool for cable stripping is always close at hand.

Ready for the camping season?



WEICON Adhesives and Sealants

Repair - Mounting - Maintenance

Plastic-Bond

excellent adhesion to plastics |
high-strength | shock-resistant |
residual elasticity

Solvent-free and highly viscous structural
adhesive for the bonding of plastic parts.

- ▶ 24 ml
10018558

**Our DIY
TIP**



Aluminium Minute Adhesive NEW

aluminium-filled | gap-filling |
fast-curing | high peel and
impact resistance

Odourless, two-component, aluminium-
filled epoxy adhesive; for filling cracks and
holes e.g. on aluminium housings; suitable
for the repair of alloy wheels.

- ▶ 24 ml
10051229



VA 100



general-purpose cyanoacrylate adhesive |
medium viscosity | fast-curing

Universal type for bonding of metals, plastic
and rubber.

- ▶ 12 g 10018867
- ▶ 30 g 10016433
- ▶ 60 g 10019785
- ▶ 500 g 10000226



Repair of a
cracked gas bottle box
Plastic-Bond



GMK 2410

permanently elastic | moisture-resistant

For the full-surface and flexible bonding of rubber to rubber and rubber to metal; suitable e.g. for the repair of awnings, dinghies or inflatable tent walls.

▶ 185 g
10029662
Tube



Contact adhesive for the bonding of **rubber** and **metals**.



Easy-Mix PU-240

high-strength | fast-curing | high viscosity | pot life approx. 240 seconds

Bonds various materials, such as fibre composites, plastics, polyurethane, epoxies, polyester, metals, wood and ceramic; high-strength, fast-curing, high viscosity.

▶ 50 ml

10031974

10005237

Dispenser

10029793

Quadro Mixing Nozzle



Anti-Seize

Assembly Pastes

WEICON Anti-Seize can be used as a protection, release and lubricating agent for highly stressed parts. Ideally compatible solid contents and selected additives enable a wide range of usage.

▶ 120 g

10000172
Brush Top

▶ 85 g

10047467
Tube

▶ 200 ml

10025465
Press Pack

Long-term protection against **corrosion**, **seizing up** and **wear**.





WEICON Adhesives and Sealants

Repair - Mounting - Maintenance

WEICONLOCK® AN 302-70

Locking of Threads and Stud Bolts | drinking water and DVGW approval

- ▶ medium viscosity
- ▶ high strength
- ▶ hard to disassemble

- ▶ 10 ml
10030476
- ▶ 20 ml
10016421
- ▶ 50 ml
10017884



AL-W

special lubricant | effective protection against aggressive substances

AL-W is suitable for rolling and sliding bearings, for joints, levers, sliding guides, spindles, spline shafts, open gears, worm gears, chains and wire cables at all sliding speeds permitted for grease lubrication.

- ▶ 400 g ▶ 1.0 kg
10016748 10016750
- ▶ 5.0 kg ▶ 25.0 kg
10016754 10016756



Mounting Tape / Grey

extremely strong hold | for smooth surfaces | high flexibility

- ▶ load bearing capacity 85 kg/m
- ▶ 19 mm x 3 m (width x length)
- ▶ core size 40 mm

- ▶ 3 m
10050551



W 44 T® Multi-Spray

multifunction oil with compound action

W 44 T® loosens seized screw connections, bolts, fittings, locks and valves, and penetrates and dissolves rust. It repels humidity from electrical contacts, prevents leakage currents and makes it easier to start wet motors.

The spray eliminates squeaky and creaky noises on hinges, guides, bearings, and all types of joints and couplings. W 44 T® cleans soiled metal surfaces and leaves a long-lasting, razor-thin film, which does not smear or stick and does not attract dust. It protects and maintains all types of tools, machines, and electrical and mechanical precision devices.

- ▶ 400 ml **10001023**
- ▶ 500 ml **10039121**



zusätzlich erhältlich / additionally available



Foam Cleaner



powerful universal cleaning agent for residue-free cleaning

WEICON Foam Cleaner is universally applicable and can be used for the cleaning and degreasing of water-resistant surfaces and for the removal of soilings on plastic, glass and textile surfaces.

Due to its NSF-A1 registration, the Foam Cleaner can also be used in sensitive areas.

- ▶ 400 ml **10050556**



Easy removal of dirt and insect residues
Foam Cleaner

Citrus Cleaner

universal cleaner based on citrus peel extracts

Facilitates the disinfecting effect, e.g. on door handles or other surfaces.

- ▶ 400 ml **10032019**



WEICON Technical Sprays

Cleaning - Care - Maintenance

Screen Cleaner

gentle and streak-free

WEICON Screen Cleaner is a special cleaner for the cleaning and care of sensitive plastic and glass surfaces. It is antistatic and antireflective.

► 200 ml
10020650



Cockpit Spray

care product for motor vehicle interiors

WEICON Cockpit Spray is a water-repellent care product for all plastic and rubber parts as well as for varnished wood surfaces in motor vehicle interiors. The permanent, invisible protective film prevents contaminations and creates an easy-care, dust-repellent silky shine.

► 400 ml
10002666



Metal-Fluid

**suitable for versatile use |
cleaning | care | protection**

WEICON Metal-Fluid is a care and cleaning product for indoor matt and polished surfaces and has an NSF registration (suitable for the food sector).

► 400 ml
10016338



NSF
NSF International
Registered Compound
Program Listed A2
Registration 138246



Simply find solutions.
with our
WEICON App



App Store

Google play



weicon.com/app



Rust Converter

for neutralising rust

Reliably stops the corrosion process. With its special formula of acid and tannin, the rust converter penetrates the rust. It chemically converts iron oxides into a stable layer and provides temporary corrosion protection through zinc phosphate.

► 400 ml
10047458



Starter Spray

for both diesel and petrol engines

WEICON Starter Spray is suitable for the easy and safe starting of combustion engines. The safe cold starting of all engines is made possible by a special combination of ingredients.

Starter Spray is ideal at low temperatures, in damp weather or after longer engine downtimes. That way, it protects both the engine and the battery.

► 400 ml
10030465



Silicone Spray

lubricant and release agent

Protects rubber parts against embrittlement and provides a long-lasting separating layer, e.g. on zippers of camping awnings.

WEICON Silicone Spray is temperature-resistant up to +250°C (+482°F).

► 400 ml
10000152



Contact Spray

protection for all electrical contacts (12 V and 220 V) | repels moisture

Prevents leakage current and voltage loss and keeps contacts, fuses, cable connections, etc. free from oxidation and sulphide layers.

► 400 ml
10026740



**Remain smooth-running,
durable and robust!**





WEICON Technical Sprays

Cleaning - Care - Maintenance

Allround Sealing Spray

paintable | waterproof | for indoor and outdoor use



WEICON Allround Sealing Spray is a strongly adhesive, sprayable plastic for the sealing of leaks. It has been developed especially for the sealing of the finest cracks and seams indoors and outdoors.

Allround Sealing Spray adheres to many surfaces, like stone, metal, plastic, wood, enamel, and many more.

The spray is paintable, waterproof, and weather- and UV-resistant.

- ▶ 400 ml
10052245
black
- ▶ 400 ml
10049571
grey
- ▶ 400 ml
10052243
white



Leak Detection Spray



DVGW registration | foam-forming
Leak Detection Spray according to DIN EN 14291 | non-flammable | anti-corrosive

WEICON Leak Detection Spray is used for the fast, convenient and reliable location of leaks (cracks or porous spots) in pressurised pipes.

- ▶ 400 ml
10002904



Adhesive Spray

suitable for versatile use

WEICON Adhesive Spray can be used universally and bonds light materials.

The Adhesive Spray is suitable for the bonding of numerous materials such as paper, cardboard, pasteboard, wood, thin veneers, cork, leather, textiles, felt, soft foam, rubber, foam rubber, and plastic film (except for PVC and polyethylene). It is especially suited for the bonding of hard foam.

- ▶ 500 ml
10000162



Adhesive bonding of a roof lining
Adhesive Spray

WEICON TOOLS

We have been developing, producing and distributing high-quality stripping tools since 1967.

Our Bestseller

No. 5

space-saving thanks to locking mechanism

- ▶ automatic wire stripper
- ▶ precise working thanks to adjustable length stop (5 - 12 mm)
- ▶ integrated, well-accessible side cutter up to 2 mm Ø



mm	g	mm ²	Art.-No.
170	122	0.2-6 24-10 AWG	LED-Set: 10101936
170	107	0.2-6 24-10 AWG	Without LED: 10006786



Video

also available
without LED


Cable Scissors No. 35

cutting - stripping - crimping

- ▶ 2-component handles for more safety
- ▶ high cutting capacity
- ▶ blades made of stainless special steel



mm	g	Cu/Al	Cu/Al	Art.-No.
150	90	<35 mm ²	<50 mm ²	10039667



including a
safety box
with belt clip

Easy Opener®



special lever tool for the gentle disassembly of sensitive components

- ▶ ideal for loosening switches, luminaires or similar components
- ▶ flexible and stable at the same time
- ▶ 3 lever surfaces with different material thickness

Our
DIY TIP!

mm	g	Art.-No.
180	22	10049687



Discover our
WEICON TOOLS®



reddot winner 2020



DBGM 20 2019 107 281.4

Precision Wire Stripper S NEW

fast, easy and precise stripping of thin wires and conductors

- ▶ stripping range from 0.12 mm - 0.8 mm (36 - 20 AWG)
- ▶ scanning system automatically adjusts to the conductor cross section
- ▶ precise working thanks to adjustable length stop from 5 - 45 mm
- ▶ professional cable stripping technology suitable for right- and left-handed users



mm	g	Round cable	Ø	Art.-No.
112	45	stranded solid	0.12 mm - 0.8 mm	10055930

Duo-Crimp No. 300

stripping and crimping with just one tool

- ▶ stripping from 0.5 mm² to 6.0 mm²
- ▶ two crimping ranges (0.5 - 2.5 mm² und 4.0 - 6.0 mm²) according to DIN 46228-2
- ▶ integrated and well-accessible side cutter up to 6 mm



mm	g	mm ²	Ømm	Art.-No.
160	116	0.5 - 6.0 (20 - 10 AWG)	-	10007406




Coax-Stripper No. 1 F Plus

fast stripping and skinning of coaxial cables in just one single step

- ▶ space-saving assembly and disassembly of F-connectors thanks to integrated open-end wrench with 11mm width across flats (AF 11)
- ▶ gripping jaws for screwing F-screw connectors onto the cable

MESSERSTAHl
Qualität aus Solingen



mm	g	Ømm	Art.-No.
125	47	for F-screw connectors 6.0 - 8.0	10051150



**WEICON GmbH & Co. KG
(Headquarters)**

Königsberger Str. 255 · DE-48157 Münster
P.O. Box 84 60 · DE-48045 Münster
Germany
phone +49 (0) 251 9322 0
WhatsApp + 49 (0) 251 9322 393
info@weicon.de

WEICON Production GmbH

Vogelsrathener Weg 25 · DE-41366 Schwalmtal
Germany
phone +49 (0) 251 9322 500
production@weicon.de

WEICON Middle East L.L.C.

Jebel Ali Ind Area 1
P.O. Box 118 216 · Dubai
United Arab Emirates
phone +971 4 880 25 05
info@weicon.ae

WEICON Inc.

20 Steckle Place · Unit 20
Kitchener · Ontario N2E 2C3 · Canada
phone +1 877 620 8889
info@weicon.ca

WEICON Kimya Sanayi Tic. Ltd. Şti.

Orhan Gazi Mahallesi 16. Yol Sokak No: 6
34538 Hadımköy-Esenyurt · İstanbul
Türkiye
phone +90 (0) 212 465 33 65
info@weicon.com.tr

WEICON Romania SRL

Str. Podului Nr. 1
547176 Budiu Mic (Targu Mures) · Romania
phone +40 (0) 3 65 730 763
office@weicon.com

WEICON SA (Pty) Ltd

Unit No. D1 · Enterprise Village
Capricorn Drive · Capricorn Park
Muizenberg 7945 (Cape Town) · South Africa
phone +27 (0) 21 709 0088
info@weicon.co.za

WEICON South East Asia Pte Ltd

7 Soon Lee Street
#01-11 iSPACE · Singapore 627608
phone (+65) 6710 7671
info@weicon.com.sg

WEICON Czech Republic s.r.o.

Teplická 305
CZ-417 61 Teplice-Bystřany
Česká republika
phone +42 (0) 417 533 013
info@weicon.cz

WEICON Ibérica S.L.

Av. de Somosierra 18, Nave 6
San Sebastián de los Reyes
28703 Madrid · Spain
phone +34 (0) 914 7997 34
info@weicon.es

WEICON Italia S.r.l.

Via Gelasio Adamoli, 35
16141 Genova · Italy
phone +39 010 2924 871
info@weicon.it

WEICON Colombia S.A.S

Calle 19, 43b-64
Medellín · Colombia
phone +57 310 837 37 99
info@weicon.co

WEICON Australia Pty Ltd

Lot 9 · Unit 3, 55-65 Christensen Road
Stapylton · QLD 4207 · Australia
phone +61 (0) 452 553 384
info@weicon.com.au

www.weicon.com



Management
System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 10108636595



WEICON Products for
**Camping &
Caravan**

Art.-No. 10057578

Distributed by:

Any product specifications and recommendations given herein must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do not intend to see the continuously high quality of our products. However, our adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for any responsibility for any other than specified applications.