




WEICON Products for

# CAMPING & CARAVAN



[weicon.com/service/app](http://weicon.com/service/app)

[www.weicon.com](http://www.weicon.com)

V 1.20



Management System  
ISO 9001:2015  
ISO 14001:2015

[www.tuv.com](http://www.tuv.com)  
ID 9108636595



WEICON Products for

# CAMPING AND CARAVAN

No matter if it is a **camper trailer, caravan** or **motorhome** – your own leisure vehicle should bring you joy and ideally be a loyal travel companion for a long time. That is why the right care and maintenance of the interior and exterior are extremely important.

WEICON products help you to keep your home on wheels in good condition for as long as possible. The product range is wide and offers the right solution for various purposes, both during the camping season and also for putting your mobile home in mothballs during winter.



With the **Foam Cleaner**, the sanitary facilities or the kitchen can be thoroughly cleaned before polishing the surfaces with **Metal-Fluid**.

For a TV, navigation system or backup camera, our **Screen Cleaner** is perfect. Fittings and rubber parts can be cared for ideally with **Cockpit Spray**.

In case of smaller repair works, WEICON Adhesives are a perfect choice:

The awning can be mended with **GMK 2410 Contact Adhesive**, plastic components can be bonded with **Plastic-Bond** and smaller leaks can be sealed with **Allround Sealing Spray**.

If towel rails or hooks need to be attached fast, our **Mounting Tape** is a handy helper. All screws on the chassis can be secured with **WEICONLOCK® AN 302-70**.

As corrosion protection, for greasing and lubrication, depending on the application, **W 44 T® Multi-Spray**, **Contact Spray** and **Rust Converter Spray** as well as **Anti-Seize Assembly Paste** or **AL-W High Performance Grease** are perfectly suited.

With the **WEICON TOOLS**, the right tool for cable stripping is always close at hand.

Ready for the camping season? ↗

WEICON Adhesives and Sealants

# Repair - Mounting - Maintenance

**Plastic-Bond**

excellent adhesion to plastics |  
high-strength | shock-resistant |  
residual elasticity

Solvent-free and highly viscous structural adhesive for the bonding of plastic parts.

▶ 24 ml  
10565024

**Our DIY TIP**



**Aluminium Minute Adhesive NEW**

aluminium-filled | gap-filling |  
fast-curing | high peel and  
impact resistance

Odourless, two-component, aluminium-filled epoxy adhesive; for filling cracks and holes e.g. on aluminium housings; suitable for the repair of alloy wheels.

▶ 24 ml  
10552024



**VA 100**



general-purpose cyanoacrylate adhesive |  
medium viscosity | fast-curing

Universal type for bonding of metals, plastic and rubber.

▶ 12 g      ▶ 30 g  
12050012    12050030  
▶ 60 g      ▶ 500 g  
12050060    12050500



Repair of a cracked gas bottle box  
Plastic-Bond





**GMK 2410**

permanently elastic | moisture-resistant

For the full-surface and flexible bonding of rubber to rubber and rubber to metal; suitable e.g. for the repair of awnings, dinghies or inflatable tent walls.

- ▶ 185 g  
16100185  
Tube



Contact adhesive for the bonding of **rubber** and **metals**.



**Easy-Mix PU-240**

high-strength | fast-curing | high viscosity | pot life approx. 240 seconds

Bonds various materials, such as fibre composites, plastics, polyurethane, epoxies, polyester, metals, wood and ceramic; high-strength, fast-curing, high viscosity.

- ▶ 50 ml  
10753050
- 10653050  
Dispenser
- 10650005  
Quadro Mixing  
Nozzle



**Anti-Seize**

Assembly Pastes

WEICON Anti-Seize can be used as a protection, release and lubricating agent for highly stressed parts. Ideally compatible solid contents and selected additives enable a wide range of usage.

- ▶ 120 g  
26000012  
Brush Top
- ▶ 85 g  
26000085  
Tube
- ▶ 200 ml  
26000200  
Press  
Pack

Long-term protection against **corrosion**, **seizing up** and **wear**.





WEICON Adhesives and Sealants

# Repair - Mounting - Maintenance

## WEICONLOCK® AN 302-70

Locking of Threads and Stud Bolts | drinking water and DVGW approval

- ▶ medium viscosity
- ▶ high strength
- ▶ hard to disassemble

- ▶ 10 ml  
30270110
- ▶ 20 ml  
30270020
- ▶ 50 ml  
30270150



## AL-W

special lubricant | effective protection against aggressive substances

AL-W is suitable for rolling and sliding bearings, for joints, levers, sliding guides, spindles, spline shafts, open gears, worm gears, chains and wire cables at all sliding speeds permitted for grease lubrication.

- ▶ 400 g    ▶ 1.0 kg  
26450040    26450100
- ▶ 5.0 kg    ▶ 25.0 kg  
26450500    26450925



## Mounting Tape / Grey

extremely strong hold | for smooth surfaces | high flexibility

- ▶ load bearing capacity 85 kg/m
- ▶ 19 mm x 3 m (width x length)
- ▶ core size 40 mm

- ▶ 3 m  
14050319





**W 44 T® Multi-Spray**

**multifunction oil with compound action**

W 44 T® loosens seized screw connections, bolts, fittings, locks and valves, and penetrates and dissolves rust. It repels humidity from electrical contacts, prevents leakage currents and makes it easier to start wet motors.

The spray eliminates squeaky and creaky noises on hinges, guides, bearings, and all types of joints and couplings. W 44 T® cleans soiled metal surfaces and leaves a long-lasting, razor-thin film, which does not smear or stick and does not attract dust. It protects and maintains all types of tools, machines, and electrical and mechanical precision devices.

▶ 400 ml  
11251400

▶ 500 ml  
11251550



**Foam Cleaner**



**powerful universal cleaning agent for residue-free cleaning**

WEICON Foam Cleaner is universally applicable and can be used for the cleaning and degreasing of water-resistant surfaces and for the removal of soilings on plastic, glass and textile surfaces.

Due to its NSF-A1 registration, the Foam Cleaner can also be used in sensitive areas.

▶ 400 ml  
11209400



Easy removal of dirt and insect residues  
**Foam Cleaner**

**Citrus Cleaner**

**universal cleaner based on citrus peel extracts**

Facilitates the disinfecting effect, e.g. on door handles or other surfaces.

▶ 400 ml  
11217400



# WEICON Technical Sprays

## Cleaning - Care - Maintenance

### Screen Cleaner

**gentle and streak-free**

WEICON Screen Cleaner is a special cleaner for the cleaning and care of sensitive plastic and glass surfaces. It is antistatic and antireflective.

► 200 ml  
11208200



### Cockpit Spray

**care product for motor vehicle interiors**

WEICON Cockpit Spray is a water-repellent care product for all plastic and rubber parts as well as for varnished wood surfaces in motor vehicle interiors. The permanent, invisible protective film prevents contaminations and creates an easy-care, dust-repellent silky shine.

► 400 ml  
11400400



### Metal-Fluid

**suitable for versatile use |  
cleaning | care | protection**

WEICON Metal-Fluid is a care and cleaning product for indoor matt and polished surfaces and has an NSF registration (suitable for the food sector).

► 400 ml  
11580400



NSF  
Registered Components  
Program List #121  
Registration #1846




Simply find solutions.  
with our  
**WEICON App**



App Store

Google play



[weicon.com/app](http://weicon.com/app)



**Rust Converter**

rust conversion and base coat in one step

WEICON Rust Converter: for the effective neutralisation of rust, e.g. on vehicle components or tow hitches.

Protects against corrosion and is suitable for indoor and outdoor use.

► 400 ml

11155400



**Starter Spray**

for both diesel and petrol engines

WEICON Starter Spray is suitable for the easy and safe starting of combustion engines. The safe cold starting of all engines is made possible by a special combination of ingredients.

Starter Spray is ideal at low temperatures, in damp weather or after longer engine downtimes. That way, it protects both the engine and the battery.

► 400 ml

11660400



**Contact Spray**

protection for all electrical contacts (12 V and 220 V) | repels moisture

Prevents leakage current and voltage loss and keeps contacts, fuses, cable connections, etc. free from oxidation and sulphide layers.

► 400 ml

11152400



**Silicone Spray**

lubricant and release agent

Protects rubber parts against embrittlement and provides a long-lasting separating layer, e.g. on zippers of camping awnings.

WEICON Silicone Spray is temperature-resistant up to +250°C (+482°F).

► 400 ml

11350400



**Remain smooth-running,  
durable and robust!**







# WEICON Adhesives and Sealants

## Cleaning - Care - Maintenance

### Allround Sealing Spray

paintable | waterproof | for indoor and outdoor use



WEICON Allround Sealing Spray is a strongly adhesive, sprayable plastic for the sealing of leaks. It has been developed especially for the sealing of the finest cracks and seams indoors and outdoors.

Allround Sealing Spray adheres to many surfaces, like stone, metal, plastic, wood, enamel, and many more.

The spray is paintable, waterproof, and weather- and UV-resistant.

- ▶ 400 ml  
11554400  
black
- ▶ 400 ml  
11555400  
grey
- ▶ 400 ml  
11553400  
white



### Leak Detection Spray



DVGW registration | foam-forming  
Leak Detection Spray according to DIN EN 14291 | non-flammable | anti-corrosive

WEICON Leak Detection Spray is used for the fast, convenient and reliable location of leaks (cracks or porous spots) in pressurised pipes.

- ▶ 400 ml  
11651400



### Adhesive Spray

suitable for versatile use

WEICON Adhesive Spray can be used universally and bonds light materials.

The Adhesive Spray is suitable for the bonding of numerous materials such as paper, cardboard, pasteboard, wood, thin veneers, cork, leather, textiles, felt, soft foam, rubber, foam rubber, and plastic film (except for PVC and polyethylene). It is especially suited for the bonding of hard foam.

- ▶ 500 ml  
11800500



## WEICON TOOLS

We have been developing, producing and distributing high-quality stripping tools since 1967.

### Our Bestseller

#### No. 5

space-saving thanks to locking mechanism

- ▶ automatic wire stripper
- ▶ precise working thanks to adjustable length stop (5 - 12 mm)
- ▶ integrated, well-accessible side cutter up to 2 mm Ø



mm	g	mm <sup>2</sup>	Ømm	Art.-No.
170	107	0.2 - 6.0 (24 - 10 AWG)		51000005

#### Cable Scissors No. 35

cutting - stripping - crimping

- ▶ 2-component handles for more safety
- ▶ high cutting capacity
- ▶ blades made of stainless special steel



mm	g	Cu/Al	Cu/Al	Art.-No.
150	90	<35 mm <sup>2</sup>	<50 mm <sup>2</sup>	52000035



including a safety box with belt clip

#### Easy Opener®



special lever tool for the gentle disassembly of sensitive components

- ▶ ideal for loosening switches, luminaires or similar components
- ▶ flexible and stable at the same time
- ▶ 3 lever surfaces with different material thickness

Our DIY TIP!

mm	g	Art.-No.
180	22	52800001







Discover our  
**WEICON TOOLS®**



reddot winner 2020



DBGM 20 2019 107 281.4

**Precision Wire Stripper S NEW**

fast, easy and precise stripping of thin wires and conductors

- ▶ stripping range from 0.12 mm - 0.8 mm (36 - 20 AWG)
- ▶ scanning system automatically adjusts to the conductor cross section
- ▶ precise working thanks to adjustable length stop from 5 - 45 mm
- ▶ professional cable stripping technology suitable for right- and left-handed users



mm	g	Round cable	Ø	Art.-No.
112	45	stranded solid	0.12 mm - 0.8 mm	51000002

**Duo-Crimp No. 300**

stripping and crimping with just one tool

- ▶ stripping from 0.5 mm<sup>2</sup> to 6.0 mm<sup>2</sup>
- ▶ two crimping ranges (0.5 - 2.5 mm<sup>2</sup> und 4.0 - 6.0 mm<sup>2</sup>) according to DIN 46228-2
- ▶ integrated and well-accessible side cutter up to 6 mm<sup>2</sup>



mm	g	mm <sup>2</sup>	Ømm	Art.-No.
160	116	0.5 - 6.0 (20 - 10 AWG)	-	51000300



**Coax-Stripper No. 1 F Plus**

fast stripping and skinning of coaxial cables in just one single step

- ▶ space-saving assembly and disassembly of F-connectors thanks to integrated open-end wrench with 11mm width across flats (AF 11)
- ▶ gripping jaws for screwing F-screw connectors onto the cable

**MESSERSTALH**  
Qualität aus Solingen



mm	g		Ømm	Art.-No.
125	47	for F-screw connectors	6.0 - 8.0	52000001



**WEICON GmbH & Co. KG  
(Headquarters)**

Königsberger Str. 255 · DE-48157 Münster  
P.O. Box 84 60 · DE-48045 Münster  
Germany  
phone +49 (0) 251 9322 0  
info@weicon.de

**WEICON Middle East L.L.C.**

Jebel Ali Ind Area 1  
P.O. Box 118 216 · Dubai  
United Arab Emirates  
phone +971 4 880 25 05  
info@weicon.ae

**WEICON Inc.**

20 Steckle Place · Unit 20  
Kitchener · Ontario N2E 2C3 · Canada  
phone +1 877 620 8889  
info@weicon.ca

**WEICON Kimya Sanayi Tic. Ltd. Şti.**

Orhan Gazi Mahallesi 16. Yol Sokak No: 6  
34517 Hadimköy-Esenyurt · Istanbul  
Turkey  
phone +90 (0) 212 465 33 65  
info@weicon.com.tr

**WEICON Romania SRL**

Str. Podului Nr. 1  
547176 Budiu Mic (Targu Mures) · Romania  
phone +40 (0) 3 65 730 763  
office@weicon.com

**WEICON SA (Pty) Ltd**

Unit No. D1 · Enterprise Village  
Capricorn Drive · Capricorn Park  
Muizenberg 7945 (Cape Town) · South Africa  
phone +27 (0) 21 709 0088  
info@weicon.co.za

**WEICON South East Asia Pte Ltd**

7 Soon Lee Street  
#01-11 iSPACE · Singapore 627608  
Phone (+65) 6710 7671  
info@weicon.com.sg

**WEICON Czech Republic s.r.o.**

Teplická 305  
CZ-417 61 Teplice-Bystřany  
Česká republika  
phone +42 (0) 417 533 013  
info@weicon.cz

**WEICON Ibérica S.L.**

Av. de Somosierra 18, Nave 6  
San Sebastián de los Reyes  
28703 Madrid · Spain  
phone +34 (0) 914 7997 34  
info@weicon.es

**WEICON Italia S.r.L.**

Via Capitano del Popolo, 20  
16154 Genova · Italy  
phone +39 (0) 010 2924 871  
info@weicon.it

[www.weicon.com](http://www.weicon.com)



Management  
System  
ISO 9001:2015  
ISO 14001:2015

[www.tuv.com](http://www.tuv.com)  
ID 9108636595



WEICON Products for  
**Camping &  
Caravan**

Art.-No. 10909402

Distributed by:

Any product specifications and recommendations given herein must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do not bear the continuous high quality of our products. However, our adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for any responsibility for any other than specified applications.  
FSM/10909402/08/20