

**Technical Sprays** 

## **Rust Loosener**

# **Contact Spray**

#### Dispels moisture | prevents leakage currents

WEICON Contact Spray is based on a special combination of active ingredients for the protection and care of electrical contacts and components.

It dispels moisture from electrical contacts, prevents leakage currents and voltage loss and keeps contacts, fuses, cable connections, etc. free of oxidation and sulphide layers.

Therefore, WEICON Contact Spray can be used e.g. for fuse boxes, intercoms, garage door motors, sockets, cables and connectors, cable drums and extensions, electric garden tools and lighting systems.

#### Toohnical data

reciffical data	
Odour	solvent
Colour	transparent
Specific properties	repels moisture, preserves electrical contacts
Silicone-free	yes
Temperature resistance	-17°C to +120°C
Shelf life	24 mon.
Approvals / Guidelines	
ISSA Code	53.402.28
IMPA Code	450843

#### **Processing**

Only use on units when they are switched off and have cooled down (pull out the mains plug). Shake can before use. Do not use on current-carrying devices. Spray on generously at a distance of approx. 5 cm and allow to take effect for approx. 30 seconds. Remove excess active ingredient with a lint-free cloth.

### Storage

Pressurized container. Protect from direct sunlight and temperatures above +50°C.

#### Instructions for use

When using WEICON products, the physical, safety-related, toxicological and ecological data and regulations in our EC safety data sheets (www.weicon.com) must be observed.

#### **Available sizes**

10026740 Contact Spray, 400 ml, transparent



The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the requested properties are recommended. A claim cannot be derived from them.