

Silicone Fluid



Nonfood Compounds
Program Listed H1
Registration 150726

Special sliding agent and lubricant for sensitive surfaces | NSF registration

WEICON Silicone-Fluid is a special, physiologically harmless sliding agent and lubricant for sensitive areas. It has an NSF H1 approval for the food industry, and can therefore be used in the food and beverage industry and in the pharmaceuticals and cosmetics industries. It can also be used as release, protective and care agent on many different surfaces like plastics, metal, stainless steel and rubber. Silicone-Fluid has a durable and good surface quality and is temperature-resistant up to +250 °C (+482 °F). Due to its special formula and the resulting NSF H1 approval, it helps to improve workplace safety and health protection.

Technical data

| | | |
|------------------------|-------------------------|---------|
| Base | silicone oil | |
| Odour | odourless | |
| Colour | colourless, transparent | |
| Specific properties | NSF H1 registration | |
| Minimum shelf life | at room temperature | 24 mon. |
| Temperature resistance | -30 °C to +250 °C | |

Approvals / Guidelines

| | | |
|-----|-----------------|--|
| NSF | H1 (FDA 21 CFR) | |
|-----|-----------------|--|

Application

Clean and degrease surfaces prior to application. Shake can well and apply from a distance of approx. 25 cm. Do not apply the product during the production or transport of food.

Storage

Container is pressurised. Protect from direct sunlight and temperatures above +50 °C.

Instructions for use

When using WEICON products, the physical, safety-related, toxicological and ecological data and regulations in our EC safety data sheets (www.weicon.com) must be observed.

Available sizes

| | |
|----------|---|
| 10009519 | Silicone Fluid, 400 ml, colourless, transparent |
| 10059939 | Silicone Fluid, 400 ml, colourless, transparent |

To the product detail page:



Note

The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.

WEICON Middle East L.L.C.
United Arab Emirates
phone +971 4 880 25 05
info@weicon.ae

WEICON Czech Republic s.r.o.
Czech Republic
phone +42 (0) 417 533 013
info@weicon.cz

WEICON GmbH & Co. KG
(Headquarters) Germany
phone +49 (0) 251 9322 0
info@weicon.de

WEICON Romania SRL
Romania
phone +40 (0) 3 65 730 763
office@weicon.com

WEICON South East Asia Pte Ltd
Singapore
Phone (+65) 6710 7671
info@weicon.com.sg

WEICON Inc.
Canada
phone +1 877 620 8889
info@weicon.ca

WEICON Ibérica S.L.
Spain
phone +34 (0) 914 7997 34
info@weicon.es

WEICON Italia S.r.l.
Italy
phone +39 (0) 010 2924 871
info@weicon.it

WEICON SA (Pty) Ltd
South Africa
phone +27 (0) 21 709 0088
info@weicon.co.za

WEICON Kimya Sanayi Tic. Ltd. Şti.
Türkiye
phone +90 (0) 212 465 33 65
info@weicon.com.tr