

Mould Release Agent



Silicone-free sliding and release agent

High-grade combination of active ingredients with high gliding effect, consisting of pure natural products. Prevents the adhesion to plastics, moulds, metals and tools. WEICON Mould Release Agent can be used in plastic processing and for spraying, pressing, and vacuum deforming.

Characteristics

Specific properties	silicone-free
Colour	colourless, transparent
Odour	solvent
suitable for processing with	Pump Dispenser WSD 400 WPS 1500
Minimum shelf life at room temperature	24 mon.

Thermal parameters

Temperature resistance	-20°C to +130°C
------------------------	-----------------

Surface Pre-Treatment

Surfaces must be dry, clean and free of grease.

Application

Apply Mould Release Agent evenly with a brush or cloth or by spraying (e.g. with an Air Pressure Can).

Storage

Keep tightly closed in original packaging. Protect from direct sunlight. The storage temperature must not exceed +50 °C. Keep container in a cool, well-ventilated place. Store in a dry place.

Instructions for use

When using WEICON products, the physical, safety-related, toxicological and ecological data and regulations in our EC safety data sheets (www.weicon.com) must be observed.

Accessories

- 10000393 Adapter for WSD 400, 1 PCE
- 10009303 Spray Set for WSD 400, 1 PCE
- 10009301 WSD 400 Pressurized-Air Spray Can, 1 PCE
- 10000398 Adjusting Valve for cans, 1 PCE
- 10016002 Pump Dispenser WPS 1500, 1 PCE
- 10016213 Extension tube for WPS 1500, 1 PCE
- 10000402 Pump Dispenser Special, 1 PCE

Available sizes

- 10000363 Mould Release Agent, 5 L, colourless, transparent
- 10000364 Mould Release Agent, 10 L, colourless, transparent
- 10007616 Mould Release Agent, 1 L, colourless, transparent
- 10053498 Mould Release Agent, 28 L, colourless, transparent

To the product detail page:



Note

The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.

WEICON Middle East L.L.C.
United Arab Emirates
phone +971 4 880 25 05
info@weicon.ae

WEICON Czech Republic s.r.o.
Czech Republic
phone +42 (0) 417 533 013
info@weicon.cz

WEICON GmbH & Co. KG
(Headquarters) Germany
phone +49 (0) 251 9322 0
info@weicon.de

WEICON Romania SRL
Romania
phone +40 (0) 3 65 730 763
office@weicon.com

WEICON South East Asia Pte Ltd
Singapore
Phone (+65) 6710 7671
info@weicon.com.sg

WEICON Inc.
Canada
phone +1 877 620 8889
info@weicon.ca

WEICON Ibérica S.L.
Spain
phone +34 (0) 914 7997 34
info@weicon.es

WEICON Italia S.r.l.
Italy
phone +39 (0) 010 2924 871
info@weicon.it

WEICON SA (Pty) Ltd
South Africa
phone +27 (0) 21 709 0088
info@weicon.co.za

WEICON Kimya Sanayi Tic. Ltd. Şti.
Türkiye
phone +90 (0) 212 465 33 65
info@weicon.com.tr