Spray-on Grease white



All-purpose sprayable grease

WEICON Spray-on Grease white is a multi-purpose sprayable grease with outstanding adhesive strength and excellent resistance to ageing and pressure. By adding special wear-reducing and corrosion-inhibiting additives, temperature stability from -20 °C to +150 °C (-4 to +302 °F) in combination with a long service life can be achieved. As with transparent products, a visual inspection is possible at all times. WEICON Spray-on Grease white can be used for the long-term lubrication of rods, gearwheels, rollers, ball bearings, hinges, guides and all types of joints and couplings in many industrial applications.

Technical data

Base		Lithium soap
Odour		solvent
Colour		white
Specific properties		very high adhesive strength and anti-friction properties
Silicone-free		yes
Minimum shelf life	at room temperature	24 mon.
Kinematic viscosity (40°C)		110 mm²/s
Kinematic viscosity (100°C)		10 mm²/s
Temperature resistance		-20 °C to +150 °C
Compatible with Double Nozzle		yes

Approvals / Guidelines

ISSA Code	53.402.50
IMPA Code	450833

Application

Clean the parts to be lubricated thoroughly (Cleaner Spray S). Shake contents before use. Spray on from a distance of approx. 25 cm

Storage

Container is pressurised. Protect from direct sunlight and temperatures above +50 °C.

Instructions for use

When using WEICON products, the physical, safety-related, toxicological and ecological data and regulations in our EC safety data sheets (www.weicon.com) must be observed.

Available sizes

10007039 Spray-on Grease white, 400 ml, white
10059947 Spray-on Grease white, 400 ml, white

Note
The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.

WEICON Middle East L.L.C.
United Arab Emirates
phone +971 4 880 25 05
info@weicon.ae

WEICON Czech Republic s.r.o.
Czech Republic
phone +42 (0) 417 533 013
info@weicon.cz

WEICON GmbH & Co. KG
(Headquaters) Germany
phone +49 (0) 251 9322 0
info@weicon.de

WEICON Romania SRL
Romania
phone +40 (0) 3 65 730 763
office@weicon.com

WEICON South East Asia Pte Ltd
Singapore
Phone (+65) 6710 7671
info@weicon.com.sg

WEICON Colombia S.A.S
Colombia
Phone: +57 314 793 86 06
Email: info@weicon.co

WEICON Inc.
Canada
phone +1 877 620 8889
info@weicon.ca

WEICON Ibérica S.L.
Spain
phone +34 (0) 914 7997 34
info@weicon.es

WEICON Italia S.r.L.
Italy
phone +39 (0) 010 2924 871
info@weicon.it

WEICON SA (Pty) Ltd
South Africa
phone +27 (0) 21 709 0088
info@weicon.co.za

WEICON Kimya Sanayi Tic. Ltd. Şti.
Türkiye
phone +90 (0) 212 465 33 65
info@weicon.com.tr