

# Leak Detection Spray viscous



DVGW-approval | foam-forming leak detector according to DIN EN 14291 | non-flammable | anti-corrosive | non-drip

WEICON Leak Detection Spray is used for the fast, convenient and reliable location of leaks (cracks or porous spots) in pressurized pipes. Leak Detection Spray does not form any hazardous compounds with carbon dioxide (CO<sub>2</sub>), propane, butane, acetylene, oxygen, city or natural gases. WEICON Leak Detection Spray can be used wherever compressed air, natural or liquid gas is processed, and wherever leaky points can occur on fittings, threaded joints, and connections. It greatly contributes to the safety of pneumatic brakes and gas lines.

## Application

Spray onto the area to be tested. Leaking spots cause bubbles. Due to the special formulation, even the smallest leaks are detected. Rinse plastic and copper pipes thoroughly with water after use.

## Storage

Container is pressurised. Protect from direct sunlight and temperatures above +50 °C.

## Instructions for use

When using WEICON products, the physical, safety-related, toxicological and ecological data and regulations in our EC safety data sheets ([www.weicon.com](http://www.weicon.com)) must be observed.

## Available sizes

10033507 Leak Detection Spray viscous, 400 ml, white, milky

### Technical data

Odour	nearly odourless
Colour	white, milky
Specific properties	non-sag, suitable for oxygen, CO <sub>2</sub> , gas, DVGW-certified
Silicone-free	yes
Minimum shelf life at room temperature	24 mon.
Temperature resistance	0 °C to +50 °C

### Approvals / Guidelines

MIL-Spec	complies with	MIL-T-83523
----------	---------------	-------------

### Note

The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.