Adhesive FINDER
www.adhesive-finder.com
The right ADHESIVE in a CLICK

WEICON®

WEICON Solutions for

STAINLESS STEEL





German Quality
Industrial grade

EDELSTAHL® Rostfrei
INOX
STAINLESS STEEL

Member of the German stainless steel Association

WARENZEICHENVERBAND EDELSTAHL *Rostfrei* E.V.

www.weicon.com

V 2.26

Top 2022 Company kununu

FOCUS TOP ARBEITGEBER MITTELSTAND 2026 Weicon GmbH & Co. KG

Handelsblatt FAIR COMPANY 2026 WEICON GmbH & Co. KG

TÜVRheinland ZERTIFIZIERT
Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108636595

NORDWEST 2026
Gewinner Zukunftspreis für Nachhaltigkeit der NORDWEST Handel AG
WEICON GmbH & Co. KG

STAINLESS STEEL

Stainless steel not only provides a very appealing high-gloss and high-quality look – the material is also a true all-rounder and offers a whole range of advantages!

Stainless steel is rustproof and very resistant to corrosion, aggressive media and temperature fluctuations. It is easy to clean and meets the highest standards in terms of hygiene. In addition, stainless steel is suitable for optically sophisticated constructions – whether it is in architecture or in industrial manufacturing processes.

In many areas of industry, such as in food technology, in the pharmaceutical industry, in automotive production or in boat building, stainless steel is often used as a material in production or is the main component of machines and systems.

In the chemical industry, stainless steel containers, stainless steel tanks, stainless steel fittings and pipelines are impervious to aggressive process substances and easy to clean. In the pharmaceutical industry and in food technology, the hygienic properties of the material are particularly important. Stainless steel surfaces, containers, tanks and production facilities can be easily cleaned and disinfected.

WEICON offers a wide range of products which are suitable for the **processing**, **care** and **bonding** of stainless steel – whether it is technical sprays for maintenance or stainless steel adhesives for bonding parts made of this high-quality material in a durable and visually appealing way.

EDELSTAHL® Rostfrei

INOX
STAINLESS STEEL

Member of the German stainless steel Association

WARENZEICHENVERBAND EDELSTAHL *Rostfrei* E.V.



CONTENT















Content	Page
1-Component Adhesives and Sealants	4
WEICONLOCK® - Anaerobic Adhesives and Sealants	4
Thread Sealing Cord DF 175	5
Contact Cyanoacrylate Adhesive	6
Elastic Adhesives and Sealants	7
Flex 310 M® Stainless-Steel	7
Assembly Pastes	8
Anti-Seize High-Tech	8
Contact Adhesives	9
Contact Adhesive GMK 2510	9
2-Component Adhesives and Sealants	10
Repair Sticks	10
Plastic Metal	11
Structural Acrylic Adhesives	12-13
Technical Sprays and Liquids	14-15
Occupational Safety	15



Simply find solutions.
with our
WEICON APP

weicon.com/app

Download on the App Store

GET IT ON Google Play

Anaerobic Adhesives and Sealants

WEICONLOCK®

Especially designed for economical threadlocking, retaining and sealing of threaded, cylindrical and pipe assemblies. After curing, the adhesive bonding is resistant to vibration, impact, chemicals, solvents and temperatures.

THREADLOCKING

SEALING OF THREADED PIPES AND FITTINGS

RETAINING CYLINDRICAL ASSEMBLIES







Get in touch with us for more information on PASSIVE MATERIALS!

AN 301-43

Certified to NSF/ANSI 61

Threadlocking | classified as non-hazardous | drinking water approval and DVGW approval

- higher viscosity
- medium strength
- disassembly with normal tools

▸ 50 ml	▸ 200 ml
10026814	10026817

AN 302-44

Threadlocking for passive materials* | DVGW and drinking water approval

- higher viscosity
- medium strength
- disassembly with normal tools

▸ 50 ml	▸ 200 ml
10037167	10037363

AN 302-60

Threadlocking for passive materials* | drinking water approval

- medium viscosity
- high strength
- hard to disassemble

▸ 50 ml	▸ 200 ml
10017878	10019974

AN 302-80

Pipe and thread sealing for passive materials | drinking water approval**

- higher viscosity
- high strength
- hard to disassemble

▸ 50 ml	▸ 200 ml
10017875	10019991

AN 305-78

Pipe and thread sealing for passive materials | drinking water and DVGW approval | BAM***

- high viscosity
- medium strength
- disassembly with normal tools

▸ 50 ml	▸ 200 ml
10037168	10037366

SI 303-31

Nonfood Compounds Program Listed S2 Registration 157190

Pipe and thread sealing | ISEGA-certified | drinking water approval | NSF approval

▸ 85 ml
10050555

WATER-BASED AND NON-HAZARDOUS



Tested by the Ruhr Region Institute of Hygiene ("Hygiene-Institut des Ruhrgebiets") according to the Guideline for Hygienic Assessment of Organic Materials in Contact with Drinking Water (KTW Guideline) by the Federal Environmental Agency of Germany.

AN 306-10

Retaining cylindrical assemblies for passive materials | drinking water approval**

- medium viscosity
- high strength
- hard to disassemble

▸ 50 ml	▸ 200 ml
10017883	10020021

AN 306-30

Retaining cylindrical assemblies for passive materials | BAM***

- higher viscosity
- high strength
- hard to disassemble

▸ 50 ml	▸ 200 ml
10017887	10020025



*** BAM tested and safety-related evaluated- according to leaflet M 031-1** "List of nonmetallic materials compatible with oxygen" (DGUV information 213-078) of BG RCI

**** Passive materials:** (slow curing)
- high-alloy steel
- oxide layers
- anodic coatings
- aluminium, nickel, zinc and gold
- chromate layers
- plastics and ceramic

1-COMPONENT ADHESIVES AND SEALANTS

WEICONLOCK®

Additional Products

WEICONLOCK Activator F

Double Motion / additionally for Pen

Reducing the curing time

The activator is required for all passive surface, for low ambient temperatures (less than +10°C/+50°F), and for large gaps. On non-metallic surfaces, WEICONLOCK can only fully cure when the activator is used.

▸ 60 ml	▸ 200 ml	▸ 1 L
10055677	10021433	10068395
Pen	Spray	Alu Can

100 % PTFE

Thread Sealing Cord DF 175

- seals immediately, temperature range -200°C to +240°C (-328 to +464°F)
- drinking water approvals according to KTW and WRAS
- UL-Tested, BAM tested*
- 100 % solid PTFE, silicon-free
- tested up to 45° reverse rotation
- resistant to chemicals

Dispenser 175 m
10026655

TZW WRAS APPROVED MATERIAL

* BAM tested and safety-related evaluated- according to leaflet M 034-1 "List of nonmetallic materials compatible with oxygen" (DGUV information 213-075) of BG RCI





CYANOACRYLATE ADHESIVE



WEICON Contact are solvent-free instant adhesives. They connect various materials, e.g. metal, glass, wood, plastic, ceramic, leather, and rubber, within seconds.

VA 2500 HT

Cyanoacrylate Adhesive for special requirements | high-temperature-resistant | high viscosity | slow curing | residual elasticity after curing | high peel and impact resistance

▸ 12 g	▸ 30 g	▸ 60 g	▸ 500 g
10018871	10016398	10019803	10012291



ELASTIC
ADHESIVES AND SEALANTS



WEICON Flex 310 M Stainless-Steel is an elastic adhesive on MS polymer basis and is suitable for bonding and sealing of seams and joints on metals such as stainless steel, aluminium and non-ferrous metals.

Flex 310 M Stainless-Steel can also be used in all application fields where the colour of the adhesive and sealant must match the surface material (e. g. stainless steel, aluminium, etc.).



ISEGA PRODUKTSICHERHEIT MIT BRIEF UND SIEGEL

LFGB

Flex 310 M® Stainless Steel

- reliable
- stainless steel appearance
- ISEGA certified

▸ 280 ml
10104893



Green Tube®

Compared to conventional plastic cartridges
80% LESS PLASTIC

Erhöhte Lagerstabilität
+18 Monate months
Longer shelf life

▶ reliable

▶ stainless steel appearance

▶ ISEGA certified



Pre-treatment of the surface

Primer M 100

For pre-treating non-absorbent metal surfaces (aluminium, steel, stainless steel, brass, copper, zinc, tinplate), plastics (ABS, rigid PVC, PA 6.6, FRP, SMC, PUR), lacquered surfaces, enamel, ceramic, and glass.



▸ 25 ml
10060606

▸ 250 ml
10023566

Assembly pastes

ANTI SEIZE

▶ metal-free

for highly stressed parts
even in high temperatures

temperature-resistant from
-60°C to +1.400°C



WEICON Anti Seize "High-Tech" is high-temperature-resistant, has excellent separating characteristics, is metal-free, neutral to materials and has an NSF registration.

Anti Seize "High-Tech" is particularly suitable when metal-containing pastes can cause electrolytic reactions, when nickelcontaining products should or may not be used due to health reasons and when dark metal-containing products should or may not be used for visual reasons.



Anti-Seize High-Tech

- white assembly paste, high-temperature-resistant
- metal-free
- NSF-H1 registration

NSF Nonfood Compounds Program Listed H1 Registration 141636

▶ 400 ml	▶ 120 g	▶ 450 g	▶ 500 g	▶ 1000 g
10000221	10000193	10000196	10030351	10000197
Spray	Brush top can	Can	Brush top can	Can




Maintenance of a transmission block on an oil rig
Anti-Seize High-Tech Assembly Paste


Use as release agent in the steel industry
Anti-Seize High-Tech Assembly Paste



WEICON GMK – Contact Adhesives

WEICON GMK 2510 is an adhesive based on polychloroprene (CR) for the high-strength, full-surface and flexible bonding of:

- **rubber to rubber**
- **rubber to metal**

2510

2-component
high adhesive strength | permanently elastic | temperature-resistant

- 324 g
  10039649
- 960 g
  10034480











REPAIR STICKS

The easy solution for all repair and maintenance work!

Repair Stick Aqua

For underwater applications | ceramic-filled

57 g	115 g
10008519	10006608

Repair Stick Aluminium

Non-rusting | fast-curing | aluminium-filled

57 g	115 g
10010246	10007711

Repair Stick Stainless Steel

NSF Certified to NSF/ANSI/CAN 61

Non-corrosive | fast-curing | stainless steel-filled | drinking water approval

57 g	115 g
10025658	10025663

Repair Stick Steel

NSF Certified to NSF/ANSI/CAN 61

Fast cure | steel-filled | drinking water approval

57 g	115 g
10010241	10007705

Repair Stick Titanium

Wear-resistant | titanium-filled | high-temperature-resistant up to +280°C (+536°F) (briefly up to +300°C/+572°F)

57 g	115 g
10011973	10011970

Repair Stick Copper

NSF Certified to NSF/ANSI/CAN 61

Extremely fast-curing | copper-filled | drinking water approval


57 g	115 g
10010227	10006609

Repair Stick Multi-Purpose

NSF Certified to NSF/ANSI/CAN 61

Fast-curing | mineral-filled | drinking water approval | temperature-resistant up to -25°C (-13°F) +120°C (+248°F)

57 g	115 g
10053992	10053995



PLASTIC METAL

WEICON ST




- pasty
- stainless steel-filled
- non-corrosive

WEICON ST is suitable for versatile repairs and repair works on machine parts and workpieces made of stainless steel, such as tanks, pipes, containers, funnels, and flanges.

- 0,5 kg — 10410005
- 2,0 kg — 10000903






Contour Spatula Flexy

Versatile use, e.g. for coating and processing 2C-adhesives. The spatula is perfect for applying adhesives on large or small surfaces.

10010066

PLASTIC METAL

WEICON WL



- surface coating
- excellent base coat for stainless steel surfaces
- ceramic-filled
- with residual elasticity

ABS

The WEICON WL epoxy resin system is used to coat surfaces that are subject to stresses. It has a high adhesive strength, especially on stainless steel. It is liquid, sprayable, spreadable (can be applied with a brush), self-levelling, retains residual elasticity, is ceramic-filled and chemical-resistant.

Owing to its long pot life, WEICON WL can be used for applications with higher ambient temperatures or for larger surfaces. Due to the high flowability of WEICON WL, it is important to ensure a low layer thickness and to observe the layer sequence time.

WEICON WL is well suited for a system build-up in combination with other Plastic Metal types. For example, the 2-component epoxy resin can be used as a primer when lining pump casings made of stainless steel that are subject to heavy stress. The surface coating can be used in the field of wastewater technology, on pumps, in water pumping, in mechanical and plant engineering, in apparatus engineering and in many other areas of industry.

- 0,2 kg — 10067876
- 0,5 kg — 10067882
- 2 kg — 10067887



WELL SUITED FOR A
SYSTEM BUILD-UP
IN COMBINATION WITH OTHER PLASTIC METAL TYPES

2-COMPONENT
ADHESIVES AND SEALANTS

STRUCTURAL ACRYLIC ADHESIVES



RK-7000/7100

WEICON Easy Mix RK-7000/7100 are structural adhesives based on MMA (methyl methacrylate) with very good adhesion to fibre composites, many plastics, metals, and many more.

Easy-Mix RK-7000

- slow-curing
- high strength
- impact-resistant
- residual elasticity

▸ 50 ml
10018563

Easy-Mix RK-7100

- fast-curing
- high strength
- impact-resistant
- residual elasticity

▸ 50 ml
10030534

▸ 50 ml
10051232
black





Hand Dispenser D50
10005237



Quadro Mixing Nozzle
10029793











RK-1300/1500

2-Komponenten No-Mix 2-component

WEICON RK-1300/RK-1500 are 2-component systems based on methacrylate, which cure fast at room temperature.

RK-1300

- pasty, high strength, fast curing
- for large areas
- temperature-resistant from -50°C up to +130°C (-58°F to +266°F), briefly up to 180 °C (356°F)

▸ 60 g *1	▸ 1,0 kg *1
10000118	10007378

RK-1500

- liquid, high strength, fast curing
- for large areas
- temperature-resistant from -50°C up to +130°C (-58°F to +266°F), briefly up to 180 °C (356°F)

▸ 60 g *1	▸ 1,0 kg *1
10008905	10002622


*1complete package consisting of adhesive and activator



RK-Activator

▸ 1 l
10000131

▸ 100 ml
10000128



TECHNICAL SPRAYS AND LIQUIDS



Technical sprays and liquid substances are used in almost all areas of industry.

They are used for the care and protection of surfaces, for cleaning and degreasing, lubricating, releasing and separating, and are an essential part in daily work.

Stainless Steel Care Spray

for brushed and polished stainless steel surfaces | also outdoors | antistatic

- 400 ml
  10012800

Stainless Steel Spray

extremely high resistance to chemicals | temperature-resistant from -50°C to +300°C (-58°F to +572°F) | corrosion- and weather-resistant surface coating

- 400 ml
  10000139

Spray-on Grease H1

white high-temperature grease | odourless and tasteless | NSF-H1 approval

- 400 ml
  10021359

Metal-Fluid

NSF-A7; C1 registration

- 400 ml
  10016338
- 5 L
  10016345

Stainless Steel Spray bright grade

non-corrosive stainless steel pigments | temperature-resistant from -50°C to +300°C (-58°F to +572°F)

- 400 ml
  10032003


Food Grade Lubricant


high lubricating effect, with capillary actions | highly pure medical white oil

- 200 ml
  10027448
- 500 ml
  10000158
- 5 L
  10000365




Cleaning with the Industrial Cleaner




Cleaning and maintenance of a kitchen surface Metal-Fluid


Lubricating with the Spray-on Grease H1

Industrial Cleaner

NSF-K1; K3 registration

- 500 ml
  10055297

Surface Cleaner

for pre-treatment of bonding surfaces | evaporates quickly without residues | for metal and plastic

- 400 ml
  10024313
- 5 L
  10025288

Rust Remover Gel

high reaction speed | very economical | solvent-free

Gel for fast and reliable removal of rust and tarnish.

- 1 L
  10101908
- 5 L
  10101905





Occupational Safety

Citrus Cleaner

proven effect according to DIN EN 1276 and 1650

cleans the most diverse surfaces | supports disinfection | evaporates without leaving residues

- 400 ml
  10032019

Hand Protective Foam

non-greasy and waterproof protective film | non-slip “invisible glove”

- 250 ml
  10021320



WEICON GmbH & Co. KG (Headquarters)
Königsberger Str. 255 · DE-48157 Münster
P.O. Box 84 60 · DE-48045 Münster
Germany
phone +49 (0) 251 9322 0
WhatsApp + 49 (0) 251 9322 393
info@weicon.de

WEICON Middle East L.L.C.
Jebel Ali Ind Area 1
P.O. Box 118 216 · Dubai
United Arab Emirates
phone +971 4 880 25 05
info@weicon.ae

WEICON Inc.
20 Steckle Place · Unit 20
Kitchener · Ontario N2E 2C3 · Canada
phone +1 877 620 8889
info@weicon.ca

WEICON Kimya Sanayi Tic. Ltd. Şti.
Orhan Gazi Mahallesi 16. Yol Sokak No: 6
34538 Hadımköy-Esenyurt · Istanbul
Türkiye
phone +90 (0) 212 465 33 65
info@weicon.com.tr

WEICON Romania SRL
Str. Podului Nr. 1
547176 Budiu Mic (Targu Mures) · Romania
phone +40 (0) 3 65 730 763
office@weicon.com

WEICON SA (Pty) Ltd
Unit No. D1 · Enterprise Village
Capricorn Drive · Capricorn Park
Muizenberg 7945 (Cape Town) · South Africa
phone +27 (0) 21 709 0088
info@weicon.co.za

WEICON South East Asia Pte Ltd
7 Soon Lee Street
#01-11 iSPACE · Singapore 627608
phone (+65) 6710 7671
info@weicon.com.sg

WEICON Czech Republic s.r.o.
Teplická 305
CZ-417 61 Teplice-Bystřany
Česká republika
phone +42 (0) 417 533 013
info@weicon.cz

WEICON Ibérica S.L.
Av. del Camino de lo Cortao, 30
nave 22, San Sebastián de los Reyes
28703 Madrid · Spain
phone +34 (0) 914 7997 34
info@weicon.es

WEICON Italia S.r.L.
Via Gelasio Adamoli, 35
16141 Genova · Italy
phone +39 010 2924 871
info@weicon.it

WEICON Colombia S.A.S
Calle 19, 43b-64
Medellín · Colombia
phone +57 310 837 37 99
info@weicon.co

WEICON Australia Pty Ltd
Lot 9 · Unit 3, 55-65 Christensen Road
Stapylton · QLD 4207 · Australia
phone +61 (0) 452 553 384
info@weicon.com.au

www.weicon.com

TÜVRheinland ZERTIFIZIERT

Management System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108636595

German Quality Industrial grade

WEICON Solutions for

Stainless Steel

Art.-No. 10015029

Distributed by:

All information and recommendations contained in this brochure do not represent guaranteed properties. They are based on our [illegible] responsible for the user's observance of the processing conditions and since we are not familiar with his or her special application conditions. A guarantee can only be assumed for the constant high quality of our products. We recommend that users conduct their own tests whether the properties they desire are provided by the specified product. No claims will be entertained based on this. The user bears the sole responsibility for incorrect use or use for other purposes.