



WEICON Solutions for the

FOOD, PHARMACEUTICAL AND COSMETIC INDUSTRY



GET IT ON
Google Play



Download on the
App Store



www.weicon.com



FOOD, PHARMACEUTICAL AND COSMETIC INDUSTRY

In sensitive areas, such as the production of food and beverages, the pharmaceutical industry and the production of cosmetics, strict hygiene standards and regulations apply.

That is why surfaces, machines and equipment in these areas of industry must be thoroughly and hygienically cleaned on a regular basis. Cleanliness and hygiene are also very important requirements when it comes to maintenance and repairs.


Only special products that meet the highest standards can be used on machines and systems in these sensitive areas.

WEICON offers various solutions for production, cleaning, maintenance, repair, and servicing in the fields of food production, the pharmaceutical industry and the production of cosmetic products.

A large number of WEICON products comply with the high hygiene standards in these areas and provide various safety certificates and approvals. Whether **NSF registrations**, **ISEGA certificates**, **WRAS approvals**, **DVGW approvals** or **BAM certificates** - our product range offers you the right products for your operational processes and applications.



CONTENT



Content	Page
Technical Sprays and Liquids	4-7
Lubricants, Release Agents and Anti-Corrosion Agents	4-5
Cleaning Agents	6
Occupational Safety	7
1-Component Adhesives and Sealants	8
WEICONLOCK® Anaerobic Adhesives and Sealants	8-11
Cyanoacrylate Adhesives Contact	12-13
Elastic Adhesives and Sealants	14-17
Plastic Metal	18
Pipe Repair-Kit	18
Repair Sticks	19
Lubricants	20
Assembly Pastes	21
Food Certifications	22-23



Simply find solutions
with our
WEICON APP





TECHNICAL SPRAYS AND LIQUIDS

Lubricants, Release Agents and Anti-Corrosion Agents

Silicon-Fluid



NSF H1
Registration #52298

excellent sliding and separating effect |
temperature resistance from -30°C
to +250°C | NSF-H1 registration

▶ 400 ml
10009519

Video



Rust Loosener-Fluid



NSF H1
Registration #20241

penetrates into the smallest cavities |
secures the function of mechanical
parts and electrical contacts | protects
against corrosion and oxidation

▶ 400 ml
10039111

Spray-on Grease H1



NSF H1
Registration #10061

white grease, high-temperature-
resistant | odour- and tasteless |
NSF-H1 registration

▶ 400 ml
10021359

Bio-Fluid



NSF H1
Registration #28758

high lubricating effect and good
capillary action | high-purity medical
white oil | NSF-H1 registration

▶ 200 ml ▶ 500 ml ▶ 5 L
10027448 10000158 10000365

W 44 T®-Fluid



NSF H1
Registration #28278

resin and acid-free | excellent penetration
properties | lubrication, water displacement,
corrosion protection, cleaning and
conservation in one product

▶ 400 ml
10039113

Anti-Seize Assembly Spray High-Tech



NSF H1
Registration #11998

white assembly paste |
metal-free | NSF-H1 registration

▶ 400 ml
10000221

Zinc Spray



NSF H1
Registration #28872

long-term cathodic corrosion
protection | paintable | >1050
in the salt spray test according
to DIN EN ISO 9227 | NSF approval

▶ 400 ml
10000016



Zinc Spray bright grade



NSF H1
Registration #28872

long-term cathodic corrosion
protection | bright colour shade
matching hot-dip galvanization | NSF approval

▶ 400 ml
10000047



our Double Nozzle attachment



10044969

Multifunctional spray head for
exact dosage in areas difficult
to access



NSF®



With our selection of food-grade technical sprays and liquids, we ensure that you get the right products for your production, maintenance and repair processes, which meet your requirements in terms of both quality and safety. We have developed a wide range of special products for a large variety of applications that meet the high standards of NSF International.

These products can be used in sensitive areas, such as food production facilities, the food and beverage industry as well as in the pharmaceutical and cosmetics industries.

for sensitive areas



PTFE-Fluid




Nonfood Compounds
Program Listed H2
Registration 152620
NSF FOOD CONTACT

repels dirt, dust and water | resistant against oils, greases and many chemicals | NSF-H2 registration

▶ 400 ml
10039115

Video



Top-Lube-Fluid



Nonfood Compounds
Program Listed H2
Registration 152617
NSF FOOD CONTACT

particularly adherent and pressure-resistant | noise-damping and water-repellent | prevents elongation, friction and wear

▶ 400 ml
10039117



Stainless Steel Care A7



Nonfood Compounds
Program Listed A7
Registration 146024

cleaning, protection and care of brushed, matt and polished stainless steel surfaces in sensitive areas

▶ 400 ml
10060669



for sensitive areas

TECHNICAL SPRAYS AND LIQUIDS

Cleaning Agents

Fast Cleaner



pH-neutral and material-compatible | can be used on many different materials such as metals, glass, ceramics and most rubbers and plastics | NSF-A1 registration

- ▶ 500 ml 10039119
- ▶ 5 L 10047373

Industrial Cleaner



powerful special cleaner with high yield | ingredient content of 95 %

- ▶ 500 ml 10055297

Foam Cleaner



for the food industry | universally applicable | NSF A1 registration

- ▶ 400 ml 10050556

Video



Metal-Fluid

for matt and polished surfaces | for stainless steel, ceramics, glass, plastics, wood | NSF-A7; C1 registration

- ▶ 400 ml 10016338
- ▶ 5 L 10016345



Video

Universal Spatula white

10039185



Special spatula for the gentle removal of the most diverse contamination and residues. Suitable for use in the food industry.

EU Regulation 10/2011/EC plastics with food contact.





Occupational Safety

Citrus Cleaner



proven effect according to DIN EN 1276 and 1650



cleans various materials* | supports the disinfecting effect | evaporates without residue



▶ 400 ml
10032019

*The material compatibility should be should beforehand on an unseen surface area.



Hand Protective Foam

dermatologically tested | waterproof and providing lasting protection

▶ 200 ml
10021320

Typical applications in the food industry

Raw material delivery

Processing

Packaging | Labelling

Palletising | Storing


Meat processing



Milk processing



Pastries and confectionary



WEICONLOCK®



THREADLOCKING

AN 301-43



Threadlocking | classified as non-hazardous | drinking water approval and DVGW approval

- ▶ higher viscosity
- ▶ medium strength
- ▶ disassembly with normal tools

▶ 20 ml 10026819 ▶ 50 ml 10026814 ▶ 200 ml 10026817

AN 301-70



Threadlocking | classified as non-hazardous | drinking water approval

- ▶ medium viscosity
- ▶ high strength
- ▶ hard to disassemble

▶ 20 ml 10026829 ▶ 50 ml 10026826 ▶ 200 ml 10026827



AN 302-42



Threadlocking | drinking water approval

- ▶ medium viscosity
- ▶ medium strength
- ▶ disassembly with normal tools

▶ 20 ml 10017324 ▶ 50 ml 10017874 ▶ 200 ml 10019966

AN 302-43



Nonfood Compounds Program Listed S4 Registration 169864

Threadlocking | DVGW and drinking water approval

- ▶ higher viscosity
- ▶ medium strength
- ▶ disassembly with normal tools

▶ 10 ml 10030474 ▶ 20 ml 10016419 ▶ 50 ml 10017876 ▶ 200 ml 10019968

AN 302-44



Threadlocking for passive materials | DVGW and drinking water approval**

- ▶ higher viscosity
- ▶ medium strength
- ▶ disassembly with normal tools

▶ 20 ml 10037361 ▶ 50 ml 10037167 ▶ 200 ml 10037363



Especially designed for economical threadlocking, retaining and sealing of threaded, cylindrical and pipe assemblies. After curing, the adhesive bonding is resistant to vibration, impact, chemicals, solvents and temperatures.

AN 302-60



Threadlocking for passive materials | drinking water approval | fast curing**

- ▶ medium viscosity
- ▶ high strength
- ▶ hard to disassemble

▶ 20 ml 10016436 ▶ 50 ml 10017878 ▶ 200 ml 10019974

AN 302-70



Locking of threads and stud bolts | drinking water and DVGW approval

- ▶ medium viscosity
- ▶ high strength
- ▶ hard to disassemble

▶ 10 ml 10030476 ▶ 20 ml 10016421 ▶ 50 ml 10017884 ▶ 200 ml 10019978

AN 302-72



Locking of threads and stud bolts | high-temperature resistant | DVGW- and drinking water approval

- ▶ higher viscosity
- ▶ high strength
- ▶ hard to disassemble

▶ 20 ml 10019901 ▶ 50 ml 10017889 ▶ 200 ml 10019982



** Passive materials: ▶ high-alloyed steel ▶ aluminium, nickel, zinc, gold
 (slow curing) ▶ oxid layers ▶ chromate layers
 ▶ anodic coatings ▶ plastics and ceramics



SEALING OF THREADED PIPES AND FITTINGS

AN 301-65



Pipe and flange sealing with PTFE | classified as non-hazardous | drinking water approval

- ▶ high viscosity
- ▶ medium strength
- ▶ disassembly with normal tools

▶ 50 ml ▶ 200 ml ▶ 300 ml
10031782 10031783 10034139

AN 301-72



Pipe and flange sealing with PTFE | classified as non-hazardous | high-temperature-resistant | drinking water and DVGW approval

- ▶ higher viscosity
- ▶ medium strength
- ▶ disassembly with normal tools

▶ 50 ml ▶ 200 ml ▶ 300 ml
10026836 10026840 10047470

AN 302-80



Pipe and thread sealing for passive materials** | drinking water approval

- ▶ higher viscosity
- ▶ high strength
- ▶ hard to disassemble



▶ 20 ml ▶ 50 ml ▶ 200 ml
10019903 10017875 10019991



SI 303-31



Pipe and thread sealing | ISEGA-certified | drinking water approval | NSF approval

- ▶ high viscosity
- ▶ low strength
- ▶ easy disassembly

▶ 85 ml
10050555
Tube

Tested by the "Hygiene-Institut des Ruhrgebiets" in accordance with the KTW guideline of the Federal Environment Agency of Germany*.



AN 305-11



Pipe and thread sealing | DVGW and drinking water approval

- ▶ higher viscosity
- ▶ medium strength
- ▶ disassembly with normal tools

▶ 50 ml ▶ 200 ml ▶ 300 ml
10019939 10019997 10023823

AN 305-72



Pipe and flange sealing (with PTFE) immediate sealing effect | drinking water and DVGW approval

- ▶ high viscosity
- ▶ medium strength
- ▶ disassembly with normal tools

▶ 50 ml ▶ 200 ml ▶ 300 ml
10019943 10020003 10026707

AN 305-77



Nonfood Compounds Program Listed S2 Registration 139910



Thread sealing | drinking water and DVGW approval | BAM*

- ▶ high viscosity
- ▶ medium strength
- ▶ disassembly with normal tools

▶ 50 ml ▶ 200 ml ▶ 300 ml
10019949 10020011 10034148



AN 305-78



Pipe and thread sealing for passive materials** | drinking water and DVGW approval | BAM*

- ▶ high viscosity
- ▶ medium strength
- ▶ disassembly with normal tools

▶ 50 ml ▶ 200 ml
10037168 10037366



Thread Sealing Cord DF 175

- ▶ immediate sealing effect, temperature resistance from -200°C to +240°C
- ▶ drinking water approvals according to KTW, WRAS
- ▶ UL-Tested
- ▶ 100% solid PTFE, silicone-free
- ▶ tested up to 45° reverse rotation
- ▶ resistant to nearly all chemicals, oils and gases
- ▶ BAM*



▶ plastic can 175 m
10026655



** Passive materials: ▶ high-alloyed steel (slow curing) ▶ oxide layers ▶ anodic coatings

▶ aluminium, nickel, zinc, gold ▶ chromate layers ▶ plastics and ceramics

* BAM tested and safety-related evaluated - according to leaflet M 034-1 "List of nonmetallic materials compatible with oxygen" (DGUV information 213-075) of BG RCI



WEICON LOCK®



FLANGE SEALING, GASKETING

AN 301-65



Pipe and flange sealing with PTFE | classified as non-hazardous | drinking water approval

- ▶ drinking water approval
- ▶ medium strength
- ▶ disassembly with normal tools

▶ 50 ml 10031782 ▶ 200 ml 10031783 ▶ 300 ml 10034139

AN 301-72



Pipe and flange sealing with PTFE | classified as non-hazardous | high-temperature-resistant | drinking water and DVGW approval

- ▶ higher viscosity
- ▶ medium strength
- ▶ disassembly with normal tools

▶ 50 ml 10026836 ▶ 200 ml 10026840 ▶ 300 ml 10047470

AN 305-72



Pipe and flange sealing (with PTFE) | immediate sealing effect | drinking water and DVGW approval

- ▶ high viscosity
- ▶ medium strength
- ▶ disassembly with normal tools

▶ 50 ml 10019943 ▶ 200 ml 10020003 ▶ 300 ml 10026707





RETAINING CYLINDRICAL ASSEMBLIES

AN 301-38



Certified to NSF/ANSI 61

Retaining cylindrical assemblies for bearings, shafts and bushings | drinking water approval

- ▶ medium viscosity
- ▶ high strength
- ▶ hard to disassemble

▶ 20 ml ▶ 50 ml ▶ 200 ml
10026852 10026846 10026847

AN 301-48



Certified to NSF/ANSI 61



Retaining cylindrical assemblies for bearings, shafts and bushings | high-temperature-resistant | drinking water and DVGW approval

- ▶ medium viscosity
- ▶ high strength
- ▶ hard to disassemble

▶ 20 ml ▶ 50 ml ▶ 200 ml
10026859 10026856 10026857

AN 306-10



Retaining cylindrical assemblies for passive materials** | drinking water approval

- ▶ medium viscosity
- ▶ high strength
- ▶ hard to disassemble



▶ 20 ml ▶ 50 ml ▶ 200 ml
10019911 10017883 10020021

AN 306-20



Retaining cylindrical assemblies | high-temperature-resistant | drinking water and DVGW approval | BAM*

- ▶ higher viscosity
- ▶ high strength
- ▶ hard to disassemble

▶ 20 ml ▶ 50 ml ▶ 200 ml
10017330 10017885 10020023

AN 306-30



Retaining cylindrical assemblies for passive materials** | BAM* | drinking water approval

- ▶ higher viscosity
- ▶ high strength
- ▶ hard to disassemble



▶ 20 ml ▶ 50 ml ▶ 200 ml
10016438 10017887 10020025

AN 306-38



Retaining cylindrical assemblies for bearings, gear wheels and bolts | fast cure | drinking water approval

- ▶ medium viscosity
- ▶ high strength
- ▶ hard to disassemble



▶ 10 ml ▶ 20 ml ▶ 50 ml ▶ 200 ml
10030478 10016443 10017888 10020027

AN 306-48



Retaining cylindrical assemblies | high-temperature-resistant | drinking water approval | BAM*

- ▶ medium viscosity
- ▶ high strength
- ▶ hard to disassemble

▶ 20 ml ▶ 50 ml ▶ 200 ml
10016442 10017893 10020035

** Passive materials: ▶ high-alloyed steel ▶ aluminium, nickel, zinc, gold
(slow curing) ▶ oxide layers ▶ chromate layers
▶ anodic coatings ▶ plastics and ceramics

* BAM tested and safety-related evaluated
- according to leaflet M 031-1 "List of nonmetallic materials compatible with oxygen" (DGVV information 213-078) of BG RCI



1-COMPONENT ADHESIVES AND SEALANTS

CYANOACRYLATE ADHESIVES



WEICON **Cyanoacrylate Adhesives** are cold-curing 1-component adhesives, free of solvents.

They bond within seconds almost all materials to and among each other, such as metals, glass, wood, plastics, ceramics, leather and rubber.



VA 20



Cyanoacrylate Adhesives for rubber and plastics | low viscosity | very fast curing | ISEGA-certified

- ▶ 12 g ▶ 30 g ▶ 60 g ▶ 500 g
- 10018860 10016618 10019781 10000215

VA 110



Cyanoacrylate Adhesive for special requirements | medium viscosity | longer curing | drinking water approval

- ▶ 12 g ▶ 30 g ▶ 60 g ▶ 500 g
- 10033861 10031926 10033865 10031927

VA 100



Cyanoacrylate Adhesive for rubber and plastics | medium viscosity | slightly longer curing

- ▶ 12 g ▶ 30 g ▶ 60 g ▶ 500 g
- 10018867 10016433 10019785 10000226

VA 1401



Cyanoacrylate Adhesive for rubber and plastics | medium viscosity | fast curing | NSF approval

- ▶ 12 g ▶ 30 g ▶ 60 g ▶ 500 g
- 10018869 10016402 10019787 10001557

Contact Activator

▶ 150 ml
10000282
CA-Activator
Spray



▶ 150 ml
10067893
CA-Activator
Spray PS



▶ 150 ml
10033805
CA-Activator Spray AC
(based on acetone)





VA 8312



Cyanoacrylate Adhesive for rubber and plastics | low viscosity | very fast curing | ISEGA-certified

- ▶ 12 g ▶ 30 g ▶ 60 g ▶ 500 g
- 10018863 10016432 10019793 10000242

VA 8406



Cyanoacrylate Adhesive for rubber and plastics | ISEGA-certified | low viscosity | very fast curing

- ▶ 12 g ▶ 30 g ▶ 60 g ▶ 500 g
- 10018865 10016396 10019794 10001559



ELASTIC ADHESIVES AND SEALANTS



Today, **elastic adhesives and sealants** are used in many areas of industrial production and assembly. They combine the advantages of adhesive bonding and sealing technology and are used wherever the elasticity and the sealing of a joint are the most important requirements.




Bonding and sealing a glass cover
(olive processing machine)
Flex 310 M® Classic





INNOVATION



Ergo Connect for Presspack

Ergonomic dosing tip for WEICON Presspack products.

- ▶ ergonomic handling
- ▶ 180° application thanks to two-way thread
- ▶ ideal angle for perfect applications
- ▶ safe and flexible cap can be locked
- ▶ compatible with WEICON dosing tip and brush top



Flex 310 M® Classic



Suitable for universal use | ISEGA-certified

- | | | |
|-----------------------------------|-----------------------------------|-----------------------------------|
| ▶ 200 ml
10057238
Presspack | ▶ 200 ml
10057240
Presspack | ▶ 200 ml
10057245
Presspack |
| ▶ 280 ml
10104011
white | ▶ 280 ml
10104007
grey | ▶ 280 ml
10103997
black |

Flex 310 M® Crystal



Crystal-clear curing | ISEGA-certified

- | | |
|-----------------------------------|-----------------------------------|
| ▶ 280 ml
10104017
Cartridge | ▶ 200 ml
10057247
Presspack |
|-----------------------------------|-----------------------------------|

Flex 310 M® Liquid black



Liquid | self-levelling | ISEGA-certified

- | |
|-------------------------------|
| ▶ 310 ml
10057733
black |
|-------------------------------|

Flex 310 M® Stainless-Steel



For stainless steel, aluminium and non-ferrous metals | ISEGA-certified

- | |
|----------------------|
| ▶ 280 ml
10104893 |
|----------------------|



ELASTIC ADHESIVES AND SEALANTS



Silicone LP



Acetoxycuring | drinking water approval

- ▶ 280 ml | ▶ 280 ml
- 10104982 | 10104992
- white | transparent

Tested by the "Hygiene-Institut des Ruhrgebiets" in accordance with the KTW guideline of the Federal Environment Agency of Germany.



Speed-Flex®



Replaces traditional fixings | ISEGA-certified

- ▶ 280 ml | ▶ 280 ml
- 10104943 | 10104953
- white | grey



Windscreen Adhesive



Elastic 1-C adhesive and sealant for mounting glass and window panes | ISEGA-certified

- ▶ 200 ml | ▶ 280 ml
- 10058069 | 10105032
- Presspack | Cartridge



Speed-Flex® Crystal



Crystal-clear adhesion | ISEGA-certified

- ▶ 280 ml
- 10104973
- transparent



Flex 310 PU



Adhesive and sealant based on PU | strong | permanently elastic | ISEGA-certified

- ▶ 280 ml | ▶ 280 ml | ▶ 280 ml
- 10104873 | 10104883 | 10104863
- white | black | grey



Flex+bond®



Highly elastic | strong | ISEGA-certified

- ▶ 85 ml | ▶ 85 ml | ▶ 85 ml | ▶ 85 ml
- 10012994 | 10012995 | 10014356 | 10018364
- white | grey | black | transparent



Aqua-Flex



Ideal for wet and moist surfaces | ISEGA-certified

- ▶ 310 ml | ▶ 310 ml | ▶ 310 ml
- 10021673 | 10021678 | 10021677
- white | grey | black






WEICON®

Portfolio Analysis
DISPENSING GUNS

www.weicon.com
V 1.23

Adhesive FINDER

QR codes and icons for product information.



Looking for a dispensing gun?
Get in touch with us!

PLASTIC METAL



WEICON GL-S



Flowable | mineral-filled | wear protection | control layer | temperature-resistant up to +180 °C

The epoxy resin system WEICON GL-S provides high abrasion resistance and serves as wear protection for heavily used surfaces. It is flowable, spreadable (can be applied with a paint brush), has a high initial strength, is mineral-filled, and resistant to chemicals. WEICON GL-S is also well-suited for creating a system structure in combination with WEICON Ceramic BL.

- ▶ 0,2 kg ▶ 0,5 kg ▶ 2,0 kg
- 10060361 10060362 10060363

IN COMBINATION WITH WEICON CERAMIC BL
PERFECT AS CONTROL LAYER



WEICON Ceramic BL



Wear protection | high temperature-resistance | drinking water approval according to BS 6920

WEICON Ceramic BL is filled with silicium carbide and zirconium silicate, resistant to chemicals and offers extreme wear protection as well as high abrasion resistance.

The epoxy resin system is particularly suitable for lining heavily stressed pump casings, as wear protection for slide bearings, chutes, funnels and pipes, and for the repair of castings, valves and fan blades. The product can be used in mechanical and plant engineering, apparatus engineering and many other areas of industry. Wear-resistant top coating for all Plastic Metal types.

WEICON Ceramic BL is suitable in combination with one of the other WEICON Plastic Metal types for a system build-up as a surface finish for visual inspection.

- ▶ 0,2 kg ▶ 0,5 kg ▶ 2,0 kg
- 10054394 10000093 10005233

PIPE REPAIR KIT

The Repair-Kit can be used in various areas of industry for the quick and easy repair of chemical, steam, process and water pipes.

5/15

▶ 5 cm x 1,5 m

10055737
white

5/35

▶ 5 cm x 3,5 m

10055738
white

10/35

▶ 10 cm x 3,5 m

10055740
white

12/100

▶ 12 cm x 10 m

10057026
white

5/15

▶ 5 cm x 1,5 m

10067737
black

5/35

▶ 5 cm x 3,5 m

10067741
black

10/35

▶ 10 cm x 3,5 m

10067743
black

The set includes
WEICON Repair Stick Multi
fibreglass-reinforced plastic
repair tape
assembly instructions
protective gloves



Video

REPAIR STICKS



cut



knead



use

The easy solution for all repair and maintenance work

Repair Stick Multi-Purpose



schnellhärtend | mineralisch gefüllt | Trinkwasserzulassung

- ▶ 57 g ▶ 115 g
- 10053992 10053995

Repair Stick Steel



fast-curing | steel-filled | drinking water approval

- ▶ 57 g ▶ 115 g
- 10010241 10007705

Repair Stick Copper



extremely fast-curing | copper-filled | drinking water approval

- ▶ 57 g ▶ 115 g
- 10010227 10006609

Repair Stick Plastic



plastic-filled | drinking water approval

- ▶ 57 g ▶ 115 g
- 10017301 10017334

Repair Stick Stainless Steel



non-corrosive | fast-curing | stainless steel-filled | drinking water approval

- ▶ 57 g ▶ 115 g
- 10025658 10025663





for sensitive areas



Video

LUBRICANTS



AL-H NSF
National Component
Program Listed H2
Registration: 581878

High-temperature-resistant |
odourless and tasteless

- ▶ 400 g ▶ 1,0 kg ▶ 5,0 kg
- 10016761 10016763 10016766

- ▶ 25,0 kg
- 10016769



AL-F NSF
National Component
Program Listed H2
Registration: 581878
No Food Contact

Allround product |
NSF approval

- ▶ 350 g ▶ 400 g ▶ 1,0 kg
- 10017515 10016775 10016777

- ▶ 5,0 kg ▶ 25,0 kg
- 10016781 10016784



Silicone Grease NSF
National Component
Program Listed H2
Registration: 581878

Special lubricant for valves,
fittings and sealings | drinking
water approval* | BAM**

- ▶ 85 g ▶ 400 g ▶ 450 g
- 10050566 10052326 10050558

- ▶ 1,0 kg ▶ 5,0 kg ▶ 25,0 kg
- 10050563 10051113 10051118




Silicone Grease HV NSF
National Component
Program Listed H2
Registration: 581878

Special lubricant for valves,
fittings and sealings | drinking
water approval* | BAM**

- ▶ 450 g ▶ 1,0 kg
- 10062499 10062501

- ▶ 5,0 kg ▶ 25,0 kg
- 10062503 10062505



*Tested by the Ruhr Region Institute of Hygiene („Hygiene- Institut des Ruhrgebiets“) according to the Hygienic Assessment of Lubricants in Contact with Drinking Water by the Federal Environmental Agency of Germany.

**BAM tested and safety-related evaluated according to leaflet M 031-1 "List of nonmetallic materials compatible with oxygen" (DGV information 213-078) of BG RCI

Assembly Pastes

ANTI SEIZE



for highly stressed parts
even in high temperature applications

temperature resistance

-40°C to +1.400°C

metal-free



WEICON Anti Seize "High-Tech" is high-temperature-resistant, has an exceptionally good release effect, is metal-free, material-neutral and has an NSF registration.

Anti Seize "High-Tech" is especially suitable when metal-containing pastes can cause electrolytic reactions, nickel-containing products should or may not be used for health reasons, and dark products are unsuitable for optical reasons.

Anti-Seize High-Tech

- ▶ white assembly paste
- ▶ metal-free
- ▶ NSF-H1 registration



▶ 400 ml	▶ 120 g	▶ 450 g	▶ 500 g	▶ 1000 g
10000221	10000193	10000196	10030351	10000197
Spray	Brush top can	Can	Brush top can	Can





FOOD CERTIFICATIONS

With our selection of chemo-technical products with food certifications, we ensure that you get the right products for your production, maintenance and repair processes which meet your exact requirements quality- and safety-wise.

Allround Lubricant AL-F	Food area, classification code: H2, Registration No. 136173	
Allround Lubricant AL-H	Food area, classification code: H1, Registration No. 136174	
Anti-Seize High-Tech	Food area, classification code: H1, Registration No. 141636	
Aqua-Flex	Certificate of Conformity as an adhesive in food technology	
Bio-Fluid	Food area, classification code: H1, Registration No. (Spray), 136172 (Liquid)	
Contact Activator	Food area, classification code: P1, Registration No. 155051	
Contact Activator AC	Food area, classification code: P1, Registration No. 155052	
Contact Activator PS	Food area, classification code: P1, Registration No. 169119	
Contact-Cyanoacrylate Adhesive VA 20	Certificate of Conformity as an adhesive in food technology	
Contact-Cyanoacrylate Adhesive VA 100	Certificate of Conformity as an adhesive in food technology	
Contact-Cyanoacrylate Adhesive VA 110	NSF drinking water certificate ANSI Standard 61	
Contact-Cyanoacrylate Adhesive VA 1401	Food area, classification code: S4, Registration No. 162959	
Contact-Cyanoacrylate Adhesive VA 8312	Certificate of Conformity as an adhesive in food technology	
Contact-Cyanoacrylate Adhesive VA 8406	Certificate of Conformity as an adhesive in food technology	
Stainless Steel Care A7	Food area, classification code: A7, Registration No. 165294	
Flex 310 M®	Certificate of Conformity as an adhesive in food technology	
Flex+bond®	Certificate of Conformity as an adhesive in food technology	
Flex 310 PU	Certificate of Conformity as an adhesive in food technology	
Industrial Cleaner	Food area, classification code: K1 K3, Registration No. 161996	
Metal-Fluid	Food area, classification code: Registration No. 135124 A7 (Spray), 135125 A7, C1 (Liquid)	
Ceramic BL	Certificate of Conformity as an adhesive in food technology	
GL-S	Certificate of Conformity as an adhesive in food technology	
Pipe Repair-Kit	NSF drinking water certificate ANSI Standard 61	
PTFE-Fluid	Food area, classification code: H2, Registration No. 152620	
Repair Sticks	NSF drinking water certificate ANSI Standard 61	
Stainless Steel Plastic Copper Steel	NSF drinking water certificate ANSI Standard 61 Facility #1 USA	
Multi-Purpose		
Rust Loosener-Fluid	Food area, classification code: H1, Registration No. 152621	
Foam Cleaner	Food area, classification code: A1, Registration No. 157612	
Windscreen Adhesive	Certificate of Conformity as an adhesive in food technology	
Fast Cleaner	Food area, classification code: A1, Registration No. 156578	
Silicone Grease	Food area, classification code: H1, Registration No. 156645 drinking water certificate: Tested by the Ruhr Region Institute of Hygiene	
Silicone Grease HV	Food area, classification code: H1, Registration No. 164208 drinking water certificate: Tested by the Ruhr Region Institute of Hygiene	
Silicon-Fluid	Food area, classification code: H1, Registration No. 150726	

Adhesives

<p>NSF/ANSI Standard</p> <p>61</p>	<p>Clearance certificate for the direct use in the potable water and food industry according to NSF/ANSI (Standard 61)</p>	<p>Repair Sticks Copper Steel Plastic Stainless Steel Multi-Purpose (Facility #1 USA) Contact VA 110 WEICONLOCK AN 301-38 AN 301-43 AN 301-48 AN 301-65 AN 301-70 AN 301-72 Pipe Repair Kit</p>
<p>S4</p>	<p>Adhesives exclusively for areas where direct or indirect contact with food can be ruled out.</p>	<p>Contact VA 1401 WEICONLOCK AN 302-43</p>
<p>S2</p>	<p>Sealants exclusively for areas where direct or indirect contact with food can be ruled out.</p>	<p>WEICONLOCK SI 303-31 WEICONLOCK AN 305-77 Silicone LP</p>

Lubricants, Release Agents and Anti-Corrosion Agents

<p>H1</p>	<p>Lubricant with incidental food contact for use in and around food processing areas.</p>	<p>Anti-Seize High-Tech Bio-Fluid (Spray, Liquid) Silicone-Fluid Spray-on Grease H1 Rust Loosener-Fluid W 44 T[®]-Fluid Allround-Lubricant AL-H Silicone Grease Silicone Grease HV</p>
<p>H2</p> <p><small>NO FOOD CONTACT</small></p>	<p>Lubricant where there is no possibility of food contact in and around food processing areas.</p>	<p>PTFE-Fluid Top-Lube-Fluid Allround-Lubricant AL-F</p>

Cleaning Agents

<p>A1</p>	<p>General cleaner for surfaces in and around food processing areas, where its use is not intended for direct food contact. A potable water rinse of cleaned surfaces is required after use of this product.</p>	<p>WEICON Fast Cleaner (Spray, Liquid) WEICON Foam Cleaner</p>
<p>A7</p>	<p>Metal cleaner and polisher for nonfood contact surfaces in and around food processing areas. Odors associated with the compound must be dissipated before food products or packaging materials are re-exposed in the area.</p>	<p>WEICON Metal-Fluid (Spray, Liquid) WEICON Stainless Steel Care A7</p>
<p>C1</p>	<p>Cleaner for use in inedible product processing areas. Treated equipment that will be returned to a food processing area must be completely washed off and rinsed with potable water.</p>	<p>WEICON Metal-Fluid (Liquid)</p>
<p>K1 K3</p>	<p>Solvent-based cleaners and degreasers for use in non-food processing areas. Solvent-based adhesive removers without direct food contact.</p>	<p>WEICON Industrial Cleaner</p>

Other

<p>P1</p>	<p>Not suitable for direct or indirect contact to food</p>	<p>CA-Activator Spray CA-Activator Spray AC (based on acetone) CA-Activator Spray PS</p>
<p>R2</p>	<p>Coatings for use on structural surfaces that do not come into contact with food. The product must be applied in a way that prevents direct or indirect contamination of food.</p>	<p>Zinc Spray Zinc Spray bright grade</p>

Silicon LP	Food area, classification code: S2, Registration No. 158659 drinking water certificate: Tested by the Ruhr Region Institute of Hygiene	
Speed-Flex[®]	Certificate of Conformity as an adhesive in food technology	
Speed-Flex[®] Crystal	Certificate of Conformity as an adhesive in food technology	
Spray-On Grease H1	Food area, classification code: H1, Registration No. 140651	
Top-Lube-Fluid	Food area, classification code: H2, Registration No. 152617	
W 44 T[®]-Fluid	Food area, classification code: H1, Registration No. 152619	
WEICONLOCK[®] AN 301-38	NSF drinking water certificate ANSI Standard 61	
WEICONLOCK[®] AN 301-43	NSF drinking water certificate ANSI Standard 61	
WEICONLOCK[®] AN 301-48	NSF drinking water certificate ANSI Standard 61 WRAS	
WEICONLOCK[®] AN 301-65	NSF drinking water certificate ANSI Standard 61	
WEICONLOCK[®] AN 301-70	NSF drinking water certificate ANSI Standard 61	
WEICONLOCK[®] AN 301-72	NSF drinking water certificate ANSI Standard 61 WRAS	
WEICONLOCK[®] AN 302-42	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area	
WEICONLOCK[®] AN 302-43	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area, classification code: S4, Registration No. 169864	
WEICONLOCK[®] AN 302-44	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area	
WEICONLOCK[®] AN 302-60	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area	
WEICONLOCK[®] AN 302-70	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area	
WEICONLOCK[®] AN 302-72	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area	
WEICONLOCK[®] AN 302-80	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area	
WEICONLOCK[®] AN 306-10	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area	
WEICONLOCK[®] AN 306-20	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area WRAS	
WEICONLOCK[®] AN 306-30	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area	
WEICONLOCK[®] AN 306-38	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area	
WEICONLOCK[®] AN 306-48	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area	
WEICONLOCK[®] AN 305-11	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area	
WEICONLOCK[®] AN 305-72	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area	
WEICONLOCK[®] AN 305-77	Food area, classification code: S2, Registration No. 159910 Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area WRAS	
WEICONLOCK[®] AN 305-78	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area	
WEICONLOCK[®] SI 303-31	Food area, classification code: S2, Registration No. 157190 Certificate of Conformity as an adhesive in food technology drinking water certificate: Tested by the Ruhr Region Institute of Hygiene	
Zinc Spray	Food area, classification code: R2, Registration No. 156012	
Zinc Spray bright grade	Food area, classification code: R2, Registration No. 156013	

**WEICON GmbH & Co. KG
(Headquarters)**

Königsberger Str. 255 · DE-48157 Münster
P.O. Box 84 60 · DE-48045 Münster
Germany
phone +49 (0) 251 9322 0
WhatsApp + 49 (0) 251 9322 393
info@weicon.de

WEICON Production GmbH

Vogelsrather Weg 25 · DE-41366 Schwalmatal
Germany
phone +49 (0) 251 9322 500
production@weicon.de

WEICON Middle East L.L.C.

Jebel Ali Ind Area 1
P.O. Box 118 216 · Dubai
United Arab Emirates
phone +971 4 880 25 05
info@weicon.ae

WEICON Inc.

20 Steckle Place · Unit 20
Kitchener · Ontario N2E 2C3 · Canada
phone +1 877 620 8889
info@weicon.ca

WEICON Kimya Sanayi Tic. Ltd. Şti.

Orhan Gazi Mahallesi 16. Yol Sokak No: 6
34538 Hadimköy-Esenyurt · Istanbul
Türkiye
phone +90 (0) 212 465 33 65
info@weicon.com.tr

WEICON Romania SRL

Str. Podului Nr. 1
547176 Budiui Mic (Targu Mures) · Romania
phone +40 (0) 3 65 730 763
office@weicon.com

WEICON SA (Pty) Ltd

Unit No. D1 · Enterprise Village
Capricorn Drive · Capricorn Park
Muizenberg 7945 (Cape Town) · South Africa
phone +27 (0) 21 709 0088
info@weicon.co.za

WEICON South East Asia Pte Ltd

7 Soon Lee Street
#01-11 iSPACE · Singapore 627608
phone (+65) 6710 7671
info@weicon.com.sg

WEICON Czech Republic s.r.o.

Teplická 305
CZ-417 61 Teplice-Bystřany
Česká republika
phone +42 (0) 417 533 013
info@weicon.cz

WEICON Ibérica S.L.

Av. del Camino de lo Cortao, 30
nave 22, San Sebastián de los Reyes
28703 Madrid · Spain
phone +34 (0) 914 7997 34
info@weicon.es

WEICON Italia S.r.L.

Via Gelasio Adamoli, 35
16141 Genova · Italy
phone +39 010 2924 871
info@weicon.it

WEICON Colombia S.A.S

Calle 19, 43b-64
Medellín · Colombia
phone +57 310 837 37 99
info@weicon.co

WEICON Australia Pty Ltd

Lot 9 · Unit 3, 55-65 Christensen Road
Stapylton · QLD 4207 · Australia
phone +61 (0) 452 553 384
info@weicon.com.au

www.weicon.com



Management System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108636595



WEICON Solutions for the
**Food, Pharmaceutical
and Cosmetic Industry**

Art.-No. 10017997

Distributed by:

The specifications and recommendations given in this brochure must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.