Adhesive FINDER
www.adhesive-finder.com
The right ADHESIVE in a CLICK

WEICON®

WEICON Solutions for the

FOOD, PHARMACEUTICAL AND COSMETIC INDUSTRY



German Quality
Industrial grade

GET IT ON Google Play

Download on the App Store

www.weicon.com

V 2.26

FOOD, PHARMACEUTICAL AND COSMETIC INDUSTRY

In sensitive areas, such as the production of food and beverages, the pharmaceutical industry and the production of cosmetics, strict hygiene standards and regulations apply.

That is why surfaces, machines and equipment in these areas of industry must be thoroughly and hygienically cleaned on a regular basis. Cleanliness and hygiene are also very important requirements when it comes to maintenance and repairs.

Only special products that meet the highest standards can be used on machines and systems in these sensitive areas.

WEICON offers various solutions for production, cleaning, maintenance, repair, and servicing in the fields of food production, the pharmaceutical industry and the production of cosmetic products.

A large number of WEICON products comply with the high hygiene standards in these areas and provide various safety certificates and approvals. Whether **NSF registrations**, **ISEGA certificates**, **WRAS approvals**, **DVGW approvals or BAM certificates** - our product range offers you the right products for your operational processes and applications.



CONTENT

















Content	Page
Technical Sprays and Liquids	4-7
Lubricants, Release Agents and Anti-Corrosion Agents	4-5
Cleaning Agents	6
Occupational Safety	7
1-Component Adhesives and Sealants	8
WEICONLOCK® Anaerobic Adhesives and Sealants	8-11
Cyanoacrylate Adhesives Contact	12-13
Elastic Adhesives and Sealants	14-17
Plastic Metal	18
Pipe Repair-Kit	18
Repair Sticks	19
Lubricants	20
Assembly Pastes	21
Food Certifications	22-23



Simply find solutions with our WEICON APP

Download on the App Store

GET IT ON Google Play



TECHNICAL
SPRAYS AND LIQUIDS

Lubricants, Release Agents and Anti-Corrosion Agents

Silicon-Fluid

excellent sliding and separating effect | temperature resistance from -30°C to +250°C | NSF-H1 registration

- 400 ml
  10009519

Video

Rust Loosener-Fluid

penetrates into the smallest cavities | secures the function of mechanical parts and electrical contacts | protects against corrosion and oxidation

- 400 ml
  10039111

Spray-on Grease H1

white grease, high-temperature-resistant | odour- and tasteless | NSF-H1 registration

- 400 ml
  10021359

Food Grade Lubricant

high lubricating effect and good capillary action | high-purity medical white oil | NSF-H1 registration

- 200 ml
  10027448
- 500 ml
  10000158
- 5 L
  10000365

W 44 T®-Fluid

resin and acid-free | excellent penetration properties | lubrication, water displacement, corrosion protection, cleaning and conservation in one product

- 400 ml
  10039113

Anti-Seize Assembly Spray High-Tech

white assembly paste | metal-free | NSF-H1 registration

- 400 ml
  10000221

Zinc Spray

long-term cathodic corrosion protection | paintable | >1050 in the salt spray test according to DIN EN ISO 9227 | NSF approval

- 400 ml
  10000016

Zinc Spray bright grade

long-term cathodic corrosion protection | bright colour shade matching hot-dip galvanization | NSF approval

- 400 ml
  10000047



With our selection of food-grade technical sprays and liquids, we ensure that you get the right products for your production, maintenance and repair processes, which meet your requirements in terms of both quality and safety. We have developed a wide range of special products for a large variety of applications that meet the high standards of NSF International.

These products can be used in sensitive areas, such as food production facilities, the food and beverage industry as well as in the pharmaceutical and cosmetics industries.



for sensitive areas





PTFE-Fluid

Nonfood Compounds Program Listed H2 Registration 152620 NO FOOD CONTACT

repels dirt, dust and water | resistant against oils, greases and many chemicals | NSF-H2 registration

- 400 ml

10039115

Video

Top-Lube-Fluid

Nonfood Compounds Program Listed H2 Registration 152617 NO FOOD CONTACT

particularly adherent and pressure-resistant | noise-damping and water-repellent | prevents elongation, friction and wear

- 400 ml

10039117



Stainless Steel Care A7

Nonfood Compounds Program Listed A7 Registration 165294

cleaning, protection and care of brushed, matt and polished stainless steel surfaces in sensitive areas

- 400 ml

10060669



for sensitive areas

TECHNICAL
SPRAYS AND LIQUIDS

Cleaning Agents

Fast Cleaner

pH-neutral and material-compatible | can be used on many different materials such as metals, glass, ceramics and most rubbers and plastics | NSF-A1 registration

▸ 500 ml
10039119

▸ 5 L
10047373

Industrial Cleaner

powerful special cleaner with high yield | ingredient content of 95 %

▸ 500 ml
10055297

Foam Cleaner

for the food industry | universally applicable | NSF A1 registration

▸ 400 ml
10050556

Video

Metal-Fluid

for matt and polished surfaces | for stainless steel, ceramics, glass, plastics, wood | NSF-A7; C1 registration

▸ 400 ml
10016338

▸ 5 L
10016345

Video

Universal Spatula white

10039185



Special spatula for the gentle removal of the most diverse contamination and residues. Suitable for use in the food industry.

EU Regulation 10/2011/EC plastics with food contact.

















Occupational Safety

Citrus Cleaner

proven effect according to DIN EN 1276 and 1650

cleans various materials* | supports the disinfecting effect | evaporates without residue

pH - neutral Professional Quality

▸ 400 ml
10032019

* The material compatibility should be should beforehand on an unseen surface area.

ORIGINAL 09 SEHR GUT 2018 dermatest


dermatest-garantie.de

Hand Protective Foam

dermatologically tested | waterproof and providing lasting protection

▸ 200 ml
10021320

Typical applications in the food industry



1-COMPONENT ADHESIVES AND SEALANTS

WEICONLOCK®

THREADLOCKING



Especially designed for economical threadlocking, retaining and sealing of threaded, cylindrical and pipe assemblies. After curing, the adhesive bonding is resistant to vibration, impact, chemicals, solvents and temperatures.

AN 301-43

Certified to NSF/ANSI 61

Threadlocking | classified as non-hazardous | drinking water approval and DVGW approval

- higher viscosity
- medium strength
- disassembly with normal tools

20 ml	50 ml	200 ml
10026819	10026814	10026817

AN 301-70

Certified to NSF/ANSI 61

Threadlocking | classified as non-hazardous | drinking water approval

Video

- medium viscosity
- high strength
- hard to disassemble

20 ml	50 ml	200 ml
10026829	10026826	10026827

AN 302-42

Threadlocking | drinking water approval

- medium viscosity
- medium strength
- disassembly with normal tools

20 ml	50 ml	200 ml
10017324	10017874	10019966

AN 302-43

Nonfood Compounds Program Listed 84 Registration 169864

Threadlocking | DVGW and drinking water approval

- higher viscosity
- medium strength
- disassembly with normal tools

10 ml	20 ml	50 ml	200 ml
10030474	10016419	10017876	10019968

AN 302-44

Threadlocking for passive materials | DVGW and drinking water approval**

- higher viscosity
- medium strength
- disassembly with normal tools

fast cure WEICONLOCK also without Activator

20 ml	50 ml	200 ml
10037361	10037167	10037363

AN 302-60

Threadlocking for passive materials | drinking water approval | fast curing**

- medium viscosity
- high strength
- hard to disassemble

20 ml	50 ml	200 ml
10016436	10017878	10019974

AN 302-70

Locking of threads and stud bolts | drinking water and DVGW approval

- medium viscosity
- high strength
- hard to disassemble

10 ml	20 ml	50 ml	200 ml
10030476	10016421	10017884	10019978

AN 302-72

Locking of threads and stud bolts | high-temperatureresistant | DVGW- and drinking water approval

- higher viscosity
- high strength
- hard to disassemble

20 ml	50 ml	200 ml
10019901	10017889	10019982





** **Passive materials:** (slow curing)
- high-alloyed steel
- oxid layers
- anodic coatings
- aluminium, nickel, zinc, gold
- chromate layers
- plastics and ceramics



SEALING OF THREADED PIPES AND FITTINGS

AN 301-65

NSF Certified to NSF/ANSI 61

Pipe and flange sealing with PTFE | classified as non-hazardous | drinking water approval

- high viscosity
- medium strength
- disassembly with normal tools

▸ 50 ml	▸ 200 ml	▸ 300 ml
10031782	10031783	10034139

AN 301-72

NSF Certified to NSF/ANSI 61 · DVGW · WRAS APPROVED MATERIAL

Pipe and flange sealing with PTFE | classified as non-hazardous | high-temperature-resistant | drinking water and DVGW approval

- higher viscosity
- medium strength
- disassembly with normal tools

▸ 50 ml	▸ 200 ml	▸ 300 ml
10026836	10026840	10047470

AN 302-80

Pipe and thread sealing for passive materials | drinking water approval**

- higher viscosity
- high strength
- hard to disassemble

fast cure WEICONLOCK also without Activator

▸ 20 ml	▸ 50 ml	▸ 200 ml
10019903	10017875	10019991

SI 303-31


NSF Nonfood Compounds Program Listed S2 Registration 157190 · ISEGA · LFGB

Pipe and thread sealing | ISEGA-certified | drinking water approval | NSF approval

- high viscosity
- low strength
- easy disassembly

▸ 85 ml
10050555
Tube

Tested by the "Hygiene-Institut des Ruhrgebiets" in accordance with the KTW guideline of the Federal Environment Agency of Germany*.



AN 305-11

Pipe and thread sealing | DVGW and drinking water approval

- higher viscosity
- medium strength
- disassembly with normal tools

▸ 50 ml	▸ 200 ml	▸ 300 ml
10019939	10019997	10023823

AN 305-72

Pipe and flange sealing (with PTFE) immediate sealing effect | drinking water and DVGW approval

- high viscosity
- medium strength
- disassembly with normal tools

▸ 50 ml	▸ 200 ml	▸ 300 ml
10019943	10020003	10026707

AN 305-77

Video

Thread sealing | drinking water and DVGW approval | BAM*

- high viscosity
- medium strength
- disassembly with normal tools

▸ 50 ml	▸ 200 ml	▸ 300 ml
10019949	10020011	10034148



AN 305-78

Pipe and thread sealing for passive materials | drinking water and DVGW approval | BAM***

- high viscosity
- medium strength
- disassembly with normal tools

fast cure WEICONLOCK also without Activator

▸ 50 ml	▸ 200 ml
10037168	10037366



Thread Sealing Cord DF 175

- immediate sealing effect, temperature resistance from -200°C to +240°C
- drinking water approvals according to KTW, WRAS
- UL-Tested
- 100% solid PTFE, silicone-free
- tested up to 45° reverse rotation
- resistant to nearly all chemicals, oils and gases
- BAM*

100 % PTFE

TZW · WRAS APPROVED MATERIAL · DVGW

▸ plastic can 175 m
10026655

**** Passive materials:** (slow curing)
- high-alloyed steel
- oxide layers
- anodic coatings
- aluminium, nickel, zinc, gold
- chromate layers
- plastics and ceramics

*** BAM tested and safety-related evaluated**
- according to leaflet M 034-1 "List of nonmetallic materials compatible with oxygen" (DGUV information 213-075) of BG RCI



WEICON LOCK®



FLANGE SEALING, GASKETING

AN 301-65

Certified to NSF/ANSI 61

Pipe and flange sealing with PTFE | classified as non-hazardous | drinking water approval

- drinking water approval
- medium strength
- disassembly with normal tools

▸ 50 ml	▸ 200 ml	▸ 300 ml
10031782	10031783	10034139

AN 305-72

Pipe and flange sealing (with PTFE) | immediate sealing effect | drinking water and DVGW approval

- high viscosity
- medium strength
- disassembly with normal tools

▸ 50 ml	▸ 200 ml	▸ 300 ml
10019943	10020003	10026707

AN 301-72

Certified to NSF/ANSI 61

WRAS APPROVED MATERIAL

Pipe and flange sealing with PTFE | classified as non-hazardous | high-temperature-resistant | drinking water and DVGW approval

- higher viscosity
- medium strength
- disassembly with normal tools

▸ 50 ml	▸ 200 ml	▸ 300 ml
10026836	10026840	10047470









RETAINING CYLINDRICAL ASSEMBLIES

AN 301-38

NSF Certified to NSF/ANSI 61

Retaining cylindrical assemblies for bearings, shafts and bushings | drinking water approval

- medium viscosity
- high strength
- hard to disassemble

▸ 20 ml	▸ 50 ml	▸ 200 ml
10026852	10026846	10026847

AN 301-48

NSF Certified to NSF/ANSI 61 · DVGW · WRAS APPROVED MATERIAL

Retaining cylindrical assemblies for bearings, shafts and bushings | high-temperature-resistant | drinking water and DVGW approval

- medium viscosity
- high strength
- hard to disassemble

▸ 20 ml	▸ 50 ml	▸ 200 ml
10026859	10026856	10026857

AN 306-10

Retaining cylindrical assemblies for passive materials | drinking water approval**

- medium viscosity
- high strength
- hard to disassemble

fast cure WEICONLOCK also without Activator

▸ 20 ml	▸ 50 ml	▸ 200 ml
10019911	10017883	10020021

AN 306-20

DVGW · WRAS APPROVED MATERIAL

Retaining cylindrical assemblies | high-temperature-resistant | drinking water and DVGW approval | BAM*

- higher viscosity
- high strength
- hard to disassemble

▸ 20 ml	▸ 50 ml	▸ 200 ml
10017330	10017885	10020023

AN 306-30

Retaining cylindrical assemblies for passive materials | BAM* | drinking water approval**

- higher viscosity
- high strength
- hard to disassemble

fast cure WEICONLOCK also without Activator

▸ 20 ml	▸ 50 ml	▸ 200 ml
10016438	10017887	10020025

AN 306-38

Retaining cylindrical assemblies for bearings, gear wheels and bolts | fast cure | drinking water approval

- medium viscosity
- high strength
- hard to disassemble

fast cure WEICONLOCK also without Activator

▸ 10 ml	▸ 20 ml	▸ 50 ml	▸ 200 ml
10030478	10016443	10017888	10020027

AN 306-48

Retaining cylindrical assemblies | high-temperature-resistant | drinking water approval | BAM*

- medium viscosity
- high strength
- hard to disassemble

▸ 20 ml	▸ 50 ml	▸ 200 ml
10016442	10017893	10020035

**** Passive materials:** (slow curing)
- high-alloyed steel
- oxide layers
- anodic coatings
- aluminium, nickel, zinc, gold
- chromate layers
- plastics and ceramics

*** BAM tested and safety-related evaluated**
- according to leaflet M 031-1 "List of nonmetallic materials compatible with oxygen" (DGUV information 213-078) of BG RCI



1-COMPONENT ADHESIVES AND SEALANTS

CYANOACRYLATE ADHESIVES

WEICON **Cyanoacrylate Adhesives** are cold-curing 1-component adhesives, free of solvents.

They bond within seconds almost all materials to and among each other, such as metals, glass, wood, plastics, ceramics, leather and rubber.

VA 20

Cyanoacrylate Adhesives for rubber and plastics | low viscosity | very fast curing | ISEGA-certified

▸ 12 g	▸ 30 g	▸ 60 g	▸ 500 g
10018860	10016618	10019781	10000215

VA 100

Cyanoacrylate Adhesive for rubber and plastics | medium viscosity | slightly longer curing

▸ 12 g	▸ 30 g	▸ 60 g	▸ 500 g
10018867	10016433	10019785	10000226

VA 110

Certified to NSF/ANSI 61

Cyanoacrylate Adhesive for special requirements | medium viscosity | longer curing | drinking water approval

▸ 12 g	▸ 30 g	▸ 60 g	▸ 500 g
10033861	10031926	10033865	10031927

VA 1401

Nonfood Compounds Program Listed **S4** Registration **162959**

Cyanoacrylate Adhesive for rubber and plastics | medium viscosity | fast curing | NSF approval

▸ 12 g	▸ 30 g	▸ 60 g	▸ 500 g
10018869	10016402	10019787	10001557

Contact Activator

▸ 150 ml
10000282
CA-Activator Spray

▸ 150 ml
10067893
CA-Activator Spray PS

▸ 150 ml
10033805
CA-Activator Spray AC (based on acetone)









VA 8312

Cyanoacrylate Adhesive for rubber and plastics | low viscosity | very fast curing | ISEGA-certified

▸ 12 g	▸ 30 g	▸ 60 g	▸ 500 g
10018863	10016432	10019793	10000242

VA 8406

Cyanoacrylate Adhesive for rubber and plastics | ISEGA-certified | low viscosity | very fast curing

▸ 12 g	▸ 30 g	▸ 60 g	▸ 500 g
10018865	10016396	10019794	10001559



ELASTIC ADHESIVES AND SEALANTS


Today, **elastic adhesives and sealants** are used in many areas of industrial production and assembly. They combine the advantages of adhesive bonding and sealing technology and are used wherever the elasticity and the sealing of a joint are the most important requirements.



Bonding and sealing a glass cover (olive processing machine)
Flex 310 M® Classic



INNOVATION



Ergo Connect for Presspack

Ergonomic dosing tip for WEICON Presspack products.

- ergonomic handling
- 180° application thanks to two-way thread
- ideal angle for perfect applications
- safe and flexible cap can be locked
- compatible with WEICON dosing tip and brush top



Flex 310 M® Classic

Suitable for universal use | ISEGA-certified

▸ 200 ml	▸ 200 ml	▸ 200 ml
10057238	10057240	10057245
Presspack	Presspack	Presspack
▸ 280 ml	▸ 280 ml	▸ 280 ml
10104011	10104007	10103997
white	grey	black

Flex 310 M® Crystal

Crystal-clear curing | ISEGA-certified

▸ 280 ml	▸ 200 ml
10104017	10057247
Cartridge	Presspack

Flex 310 M® Liquid black

Liquid | self-levelling | ISEGA-certified

▸ 310 ml
10057733
black

Flex 310 M® Stainless-Steel

For stainless steel, aluminium and non-ferrous metals | ISEGA-certified

▸ 280 ml
10104893



ELASTIC ADHESIVES AND SEALANTS





Silicone LP

Acetoxy curing | drinking water approval

▸ 280 ml	▸ 280 ml
10104982	10104992
white	transparent

Tested by the "Hygiene-Institut des Ruhrgebiets" in accordance with the KTW guideline of the Federal Environment Agency of Germany.



Speed-Flex®

Replaces traditional fixings | ISEGA-certified

▸ 280 ml	▸ 280 ml
10104943	10104953
white	grey



Windscreen Adhesive

Elastic 1-C adhesive and sealant for mounting glass and window panes | ISEGA-certified

▸ 200 ml	▸ 280 ml
10058069	10105032
Presspack	Cartridge



Speed-Flex® Crystal

Crystal-clear adhesion | ISEGA-certified

▸ 280 ml
10104973
transparent



Flex 310 PU

Adhesive and sealant based on PU | strong | permanently elastic | ISEGA-certified

▸ 280 ml	▸ 280 ml	▸ 280 ml
10104873	10104883	10104863
white	black	grey



Flex+bond®

Highly elastic | strong | ISEGA-certified

▸ 85 ml	▸ 85 ml	▸ 85 ml	▸ 85 ml
10012994	10012995	10014356	10018364
white	grey	black	transparent



Aqua-Flex

Ideal for wet and moist surfaces | ISEGA-certified

▸ 310 ml	▸ 310 ml	▸ 310 ml
10021673	10021678	10021677
white	grey	black









Looking for a dispensing gun?

Get in touch with us!



PLASTIC METAL





WEICON GL-S

Flowable | mineral-filled | wear protection | control layer | temperature-resistant up to +180 °C

The epoxy resin system WEICON GL-S provides high abrasion resistance and serves as wear protection for heavily used surfaces. It is flowable, spreadable (can be applied with a paint brush), has a high initial strength, is mineral-filled, and resistant to chemicals. WEICON GL-S is also well-suited for creating a system structure in combination with WEICON Ceramic BL.

▸ 0,2 kg	▸ 0,5 kg	▸ 2,0 kg
10060361	10060362	10060363

IN COMBINATION WITH WEICON CERAMIC BL
PERFECT AS CONTROL LAYER



WEICON Ceramic BL

Wear protection | high temperature-resistance | drinking water approval according to BS 6920

WEICON Ceramic BL is filled with silicium carbide and zirconium silicate, resistant to chemicals and offers extreme wear protection as well as high abrasion resistance.

The epoxy resin system is particularly suitable for lining heavily stressed pump casings, as wear protection for slide bearings, chutes, funnels and pipes, and for the repair of castings, valves and fan blades. The product can be used in mechanical and plant engineering, apparatus engineering and many other areas of industry. Wear-resistant top coating for all Plastic Metal types.

WEICON Ceramic BL is suitable in combination with one of the other WEICON Plastic Metal types for a system build-up as a surface finish for visual inspection.

▸ 0,2 kg	▸ 0,5 kg	▸ 2,0 kg
10054394	10000093	10005233

PIPE REPAIR KIT

The Repair-Kit can be used in various areas of industry for the quick and easy repair of chemical, steam, process and water pipes.

5/15	5/35	10/35	12/100
▸ 5 cm x 1,5 m	▸ 5 cm x 3,5 m	▸ 10 cm x 3,5 m	▸ 12 cm x 10 m
10055737	10055738	10055740	10057026
white	white	white	white

5/15	5/35	10/35
▸ 5 cm x 1,5 m	▸ 5 cm x 3,5 m	▸ 10 cm x 3,5 m
10067737	10067741	10067743
black	black	black


The set includes
WEICON Repair Stick Multi
fibreglass-reinforced plastic repair tape
assembly instructions
protective gloves





Video

REPAIR STICKS



The easy solution for all repair and maintenance work





Repair Stick Multi-Purpose

NSF Certified to NSF/ANSI 61 Facility #1 USA

schnellhärtend | mineralisch gefüllt | Trinkwasserzulassung

▸ 57 g	▸ 115 g
10053992	10053995

Repair Stick Steel

NSF Certified to NSF/ANSI 61

fast-curing | steel-filled | drinking water approval

▸ 57 g	▸ 115 g
10010241	10007705

Repair Stick Copper

NSF Certified to NSF/ANSI 61

extremely fast-curing | copper-filled | drinking water approval

▸ 57 g	▸ 115 g
10010227	10006609

Repair Stick Plastic

NSF Certified to NSF/ANSI 61

plastic-filled | drinking water approval

▸ 57 g	▸ 115 g
10017301	10017334

Repair Stick Stainless Steel

NSF Certified to NSF/ANSI 61

non-corrosive | fast-curing | stainless steel-filled | drinking water approval

▸ 57 g	▸ 115 g
10025658	10025663





for sensitive areas

LUBRICANTS

Video









AL-H

High-temperature-resistant | odourless and tasteless

- 400 g 10016761
- 1,0 kg 10016763
- 5,0 kg 10016766
- 25,0 kg 10016769

AL-F

Allround product | NSF approval

- 350 g 10017515
- 400 g 10016775
- 1,0 kg 10016777
- 5,0 kg 10016781
- 25,0 kg 10016784

Silicone Grease

Special lubricant for valves, fittings and sealings | drinking water approval* | BAM**

- 85 g 10050566
- 400 g 10052326
- 450 g 10050558
- 1,0 kg 10050563
- 5,0 kg 10051113
- 25,0 kg 10051118

Silicone Grease HV

Special lubricant for valves, fittings and sealings | drinking water approval* | BAM**

- 450 g 10062499
- 1,0 kg 10062501
- 5,0 kg 10062503
- 25,0 kg 10062505

*Tested by the Ruhr Region Institute of Hygiene („Hygiene- Institut des Ruhrgebiets") according to the Hygienic Assessment of Lubricants in Contact with Drinking Water by the Federal Environmental Agency of Germany.

**BAM tested and safety-related evaluated according to leaflet M 031-1 "List of nonmetallic materials compatible with oxygen" (DGUV information 213-078) of BG RCI

Assembly Pastes

ANTI SEIZE

for highly stressed parts
even in high temperature applications

temperature resistance
-60°C to +1.400°C
metal-free



WEICON Anti Seize "High-Tech" is high-temperature-resistant, has an exceptionally good release effect, is metal-free, material-neutral and has an NSF registration.

Anti Seize "High-Tech" is especially suitable when metal-containing pastes can cause electrolytic reactions, nickel-containing products should or may not be used for health reasons, and dark products are unsuitable for optical reasons.



Anti-Seize High-Tech

- white assembly paste
- metal-free
- NSF-H1 registration

NSF Nonfood Compounds Program Listed H1 Registration 141636

▸ 400 ml	▸ 120 g	▸ 450 g	▸ 500 g	▸ 1000 g
10000221	10000193	10000196	10030351	10000197
Spray	Brush top can	Can	Brush top can	Can







FOOD CERTIFICATIONS

With our selection of chemo-technical products with food certifications, we ensure that you get the right products for your production, maintenance and repair processes which meet your exact requirements quality- and saftey-wise.

Allround Lubricant AL-F	Food area, classification code: H2, Registration No. 136173
Allround Lubricant AL-H	Food area, classification code: H1, Registration No. 136174
Anti-Seize High-Tech	Food area, classification code: H1, Registration No. 141636
Aqua-Flex	Certificate of Conformity as an adhesive in food technology
Food Grade Lubricant	Food area, classification code: H1, Registration No. (Spray), 136172 (Liquid)
Contact Activator	Food area, classification code: P1, Registration No. 155051
Contact Activator AC	Food area, classification code: P1, Registration No. 155052
Contact Activator PS	Food area, classification code: P1, Registration No.169119
Contact-Cyanoacrylate Adhesive **VA 20**	Certificate of Conformity as an adhesive in food technology
Contact-Cyanoacrylate Adhesive **VA 100**	Certificate of Conformity as an adhesive in food technology
Contact-Cyanoacrylate Adhesive **VA 110**	NSF drinking water certificate ANSI Standard 61
Contact-Cyanoacrylate Adhesive **VA 1401**	Food area, classification code: S4, Registration No. 162959
Contact-Cyanoacrylate Adhesive **VA 8312**	Certificate of Conformity as an adhesive in food technology
Contact-Cyanoacrylate Adhesive **VA 8406**	Certificate of Conformity as an adhesive in food technology
Stainless Steel Care A7	Food area, classification code: A7, Registration No. 165294
Flex 310 M®	Certificate of Conformity as an adhesive in food technology
Flex+bond®	Certificate of Conformity as an adhesive in food technology
Flex 310 PU	Certificate of Conformity as an adhesive in food technology
Industrial Cleaner	Food area, classification code: K1 K3, Registration No. 161996
Metal-Fluid	Food area, classification code: Registration No. 135124 A7 (Spray), 135125 A7, C1 (Liquid)
Ceramic BL	Certificate of Conformity as an adhesive in food technology
GL-S	Certificate of Conformity as an adhesive in food technology
Pipe Repair-Kit	NSF drinking water certificate ANSI Standard 61
PTFE-Fluid	Food area, classification code: H2, Registration No. 152620
Repair Sticks Stainless Steel | Plastic | Copper | Steel Multi-Purpose	NSF drinking water certificate ANSI Standard 61 NSF drinking water certificate ANSI Standard 61 Facility #1 USA
Rust Loosener-Fluid	Food area, classification code: H1, Registration No. 152621
Foam Cleaner	Food area, classification code: A1, Registration No. 157612
Windscreen Adhesive	Certificate of Conformity as an adhesive in food technology
Fast Cleaner	Food area, classification code: A1, Registration No. 156578
Silicone Grease	Food area, classification code: H1, Registration No. 156645 | drinking water certificate: Tested by the Ruhr Region Institute of Hygiene
Silicone Grease HV	Food area, classification code: H1, Registration No. 164208 | drinking water certificate: Tested by the Ruhr Region Institute of Hygiene
Silicon-Fluid	Food area, classification code: H1, Registration No. 150726

Adhesives

NSF/ANSI Standard 61 – Clearance certificate for the direct use in the potable water and food industry according to NSF/ANSI (Standard 61)	Repair Sticks Copper | Steel | Plastic | Stainless Steel | Multi-Purpose (Facility #1 USA) Contact VA 110 | WEICONLOCK AN 301-38 | AN 301-43 | AN 301-48 | AN 301-65 | AN 301-70 | AN 301-72 | Pipe Repair Kit
S4 – Adhesives exclusively for areas where direct or indirect contact with food can be ruled out.	Contact VA 1401 | WEICONLOCK AN 302-43
S2 – Sealants exclusively for areas where direct or indirect contact with food can be ruled out.	WEICONLOCK SI 303-31 | WEICONLOCK AN 305-77 | Silicone LP

Lubricants, Release Agents and Anti-Corrosion Agents

H1 – Lubricant with incidental food contact for use in and around food processing areas.	Anti-Seize High-Tech | Food Grade Lubricant (Spray, Liquid) | Silicone-Fluid | Spray-on Grease H1 | Rust Loosener-Fluid | W 44 T®-Fluid | Allround-Lubricant AL-H | Silicone Grease | Silicone Grease HV
H2 – NO FOOD CONTACT – Lubricant where there is no possibility of food contact in and around food processing areas.	PTFE-Fluid | Top-Lube-Fluid | Allround-Lubricant AL-F

Cleaning Agents

A1 – General cleaner for surfaces in and around food processing areas, where its use is not intended for direct food contact. A potable water rinse of cleaned surfaces is required after use of this product.	WEICON Fast Cleaner (Spray, Liquid) | WEICON Foam Cleaner
A7 – Metal cleaner and polisher for nonfood contact surfaces in and around food processing areas. Odors associated with the compound must be dissipated before food products or packaging materials are re-exposed in the area.	WEICON Metal-Fluid (Spray, Liquid) | WEICON Stainless Steel Care A7
C1 – Cleaner for use in inedible product processing areas. Treated equipment that will be returned to a food processing area must be completely washed off and rinsed with potable water.	WEICON Metal-Fluid (Liquid)
K1 | K3 – Solvent-based cleaners and degreasers for use in non-food processing areas. Solvent-based adhesive removers without direct food contact.	WEICON Industrial Cleaner

Other

P1 – Not suitable for direct or indirect contact to food	CA-Activator Spray | CA-Activator Spray AC (based on acetone) | CA-Activator Spray PS
R2 – Coatings for use on structural surfaces that do not come into contact with food. The product must be applied in a way that prevents direct or indirect contamination of food.	Zinc Spray | Zinc Spray bright grade

Silicon LP	Food area, classification code: S2, Registration No. 158659 | drinking water certificate: Tested by the Ruhr Region Institute of Hygiene
Speed-Flex®	Certificate of Conformity as an adhesive in food technology
Speed-Flex® Crystal	Certificate of Conformity as an adhesive in food technology
Spray-On Grease H1	Food area, classification code: H1, Registration No. 140651
Top-Lube-Fluid	Food area, classification code: H2, Registration No. 152617
W 44 T®-Fluid	Food area, classification code: H1, Registration No. 152619
WEICONLOCK® **AN 301-38**	NSF drinking water certificate ANSI Standard 61
WEICONLOCK® **AN 301-43**	NSF drinking water certificate ANSI Standard 61
WEICONLOCK® **AN 301-48**	NSF drinking water certificate ANSI Standard 61 | WRAS
WEICONLOCK® **AN 301-65**	NSF drinking water certificate ANSI Standard 61
WEICONLOCK® **AN 301-70**	NSF drinking water certificate ANSI Standard 61
WEICONLOCK® **AN 301-72**	NSF drinking water certificate ANSI Standard 61 | WRAS
WEICONLOCK® **AN 302-42**	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area
WEICONLOCK® **AN 302-43**	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area, classification code: S4, Registration No. 169864
WEICONLOCK® **AN 302-44**	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area
WEICONLOCK® **AN 302-60**	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area
WEICONLOCK® **AN 302-70**	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area
WEICONLOCK® **AN 302-72**	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area
WEICONLOCK® **AN 302-80**	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area
WEICONLOCK® **AN 306-10**	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area
WEICONLOCK® **AN 306-20**	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area | WRAS
WEICONLOCK® **AN 306-30**	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area
WEICONLOCK® **AN 306-38**	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area
WEICONLOCK® **AN 306-48**	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area
WEICONLOCK® **AN 305-11**	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area
WEICONLOCK® **AN 305-72**	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area
WEICONLOCK® **AN 305-77**	Food area, classification code: S2, Registration No. 159910 | Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area | WRAS
WEICONLOCK® **AN 305-78**	Tested after IVK-recommendation by: Institute of hygiene in the Ruhr area
WEICONLOCK® **SI 303-31**	Food area, classification code: S2, Registration No. 157190 | Certificate of Conformity as an adhesive in food technology | drinking water certificate: Tested by the Ruhr Region Institute of Hygiene
Zinc Spray	Food area, classification code: R2, Registration No. 156012
Zinc Spray bright grade	Food area, classification code: R2, Registration No. 156013



WEICON GmbH & Co. KG (Headquarters)
Königsberger Str. 255 · DE-48157 Münster
P.O. Box 84 60 · DE-48045 Münster
Germany
phone +49 (0) 251 9322 0
WhatsApp + 49 (0) 251 9322 393
info@weicon.de

WEICON Middle East L.L.C.
Jebel Ali Ind Area 1
P.O. Box 118 216 · Dubai
United Arab Emirates
phone +971 4 880 25 05
info@weicon.ae

WEICON Inc.
20 Steckle Place · Unit 20
Kitchener · Ontario N2E 2C3 · Canada
phone +1 877 620 8889
info@weicon.ca

WEICON Kimya Sanayi Tic. Ltd. Şti.
Orhan Gazi Mahallesi 16. Yol Sokak No: 6
34538 Hadımköy-Esenyurt · Istanbul
Türkiye
phone +90 (0) 212 465 33 65
info@weicon.com.tr

WEICON Romania SRL
Str. Podului Nr. 1
547176 Budiu Mic (Targu Mures) · Romania
phone +40 (0) 3 65 730 763
office@weicon.com

WEICON SA (Pty) Ltd
Unit No. D1 · Enterprise Village
Capricorn Drive · Capricorn Park
Muizenberg 7945 (Cape Town) · South Africa
phone +27 (0) 21 709 0088
info@weicon.co.za

WEICON South East Asia Pte Ltd
7 Soon Lee Street
#01-11 iSPACE · Singapore 627608
phone (+65) 6710 7671
info@weicon.com.sg

WEICON Czech Republic s.r.o.
Teplická 305
CZ-417 61 Teplice-Bystřany
Česká republika
phone +42 (0) 417 533 013
info@weicon.cz

WEICON Ibérica S.L.
Av. del Camino de lo Cortao, 30
nave 22, San Sebastián de los Reyes
28703 Madrid · Spain
phone +34 (0) 914 7997 34
info@weicon.es

WEICON Italia S.r.L.
Via Gelasio Adamoli, 35
16141 Genova · Italy
phone +39 010 2924 871
info@weicon.it

WEICON Colombia S.A.S
Calle 19, 43b-64
Medellín · Colombia
phone +57 310 837 37 99
info@weicon.co

WEICON Australia Pty Ltd
Lot 9 · Unit 3, 55-65 Christensen Road
Stapylton · QLD 4207 · Australia
phone +61 (0) 452 553 384
info@weicon.com.au

www.weicon.com

TÜVRheinland ZERTIFIZIERT

Management System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108636595

German Quality Industrial grade

WEICON Solutions for the

Food, Pharmaceutical and Cosmetic Industry

Art.-No. 10017997

Distributed by:

The specifications and recommendations given in this brochure must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.