





SOLAR SECTOR





SOLAR ENERGY

Renewable energy systems are playing an increasingly important role today and will do so in the future. They are key to a resource-friendly and sustainable approach to nature and the environment.

Renewable energies also include solar energy, which converts the inexhaustible power of the sun into electricity that we can use. The sun's energy can be used by solar cells in photovoltaic systems, solar thermal power plants and solar collectors to generate electricity and heat.

Photovoltaics has become an important pillar of the electricity supply. Solar cells convert sunlight directly into electricity in PV systems. The resulting electricity can be used to power electrical devices, stored in batteries or fed into the public grid.

In solar thermal power plants, the sun's rays are bundled with special concave mirrors. In this way, they heat a liquid that drives a turbine, thereby generating energy.

Solar collectors convert the sun's radiation into heat which in turn heats water or buildings.

WEICON offers you a whole range of products for the solar sector. Our special tools, adhesives and sealants as well as technical sprays can be used both in production and in the installation and maintenance of photovoltaic systems, solar thermal power plants or solar collectors.






For all standard solar connectors MC4 I 2.5 / 4 / 6 mm²

- precise work thanks to ratchet mechanism with blocking device
- process-safe crimping tool only opens after the crimping process
- ► emergency release in the handle (in the event of misuse)
- ► modular Multi Change System for quick module changes
- eccentric setting for adjusting the crimping force
- ► comfortable feel thanks to 2-component handles

d mm	g	ArtNo.	
180	378	10100514	











MC4 Solar Spanner **NEW**

Set of 2

- ▶ solar spanner made of fibreglass-reinforced plastic
- ▶ universal tool for mounting solar panels with MC4 connections
- ▶ suitable for: MC4 connectors
- ▶ with integrated unlocking tool for solar connectors

₩₩	g	ArtNo.	
135	42	10101299	



▼ mm	ğ	Cu/Al	Cu/Al	Art.No.
150	90	<35 mm ²	<50 mm ²	10039667





SPECIAL TOOLS

for the stripping and skinning of common cables in the solar sector



Wire Stripper No. 7 Solar

- ▶ automatic wire stripper with scanning system
- ► suitable for all photovoltaic cables, e.g. H1Z2Z2-K according to EN 50618 from 1.5 to 10 mm²
- ▶ integrated, easily accessible side cutter up to 3 mm Ø Cu/Al
- ▶ 5 different settings for precise adjustment to various insulations
- ▶ specially reinforced, galvanised and hardened blades

★ mm	g	mm²	Art.No.
170	218	1.5-10 (16-8 AWG)	10025011







- special tool for dismantling and stripping all common cables in the solar sector e.g. H1Z2Z2-K, with new stripping range from 1.5-10 mm² (16-8 AWG)
- ▶ extended setting from 5-25 mm
- ▶ powerful integrated side cutter up to 3 mm Cu/AL

★ mm	ğ	mm²	ArtNo.	
160	155	1.5-10 (16-8 AWG)	LED-Set:	10101938
160	140	1.5-10 (16-8 AWG)	Without LED:	10067897







Mini-Solar

- \blacktriangleright 3 different models for 3 high-performing areas of work
- ▶ for all common solar cables such as H1Z2Z2-K from 1.5 to 16 mm²
- ▶ ergonomics thanks to grip zones
- precise working enabled by easily adjustable length stop from 6 to 28 mm
- ▶ powerful, integrated side cutter up to 10 mm²

Article name	₩₩	g	mm²	Art.No.
Mini-Solar 1.5/2.5 mm ²	125	58	1.5/2.5 (16/14 AWG)	10065750
Mini-Solar 4/6 mm²	125	58	4/6 (12/10 AWG)	10065752
Mini-Solar 10/16 mm²	125	58	10/16 (8/6 AWG)	10065754





For the solar sector

ADHESIVES AND SEALANTS









Threadlocking | drinking water and DVGW approval

- ► higher viscosity
- medium strength
- disassembly with normal tools

AN 302-70



Locking of threads and stud bolts | drinking water and DVGW approval

- medium viscosity
- ▶ high strength
- ▶ hard to disassemble
- ► 50 ml ► 200 ml 10017884 10019978



VA 2500 HT

Cyanoacrylate adhesive for special requirements | high-temperature resistant | high viscosity | slow curing | cures with residual elasticity | high peel and impact strength

► 12 g ► 30 g ► 60 g ► 500 g 10018871 10016398 10019803 10019803

Thread Sealing Cord DF 175

- for all thread types (metal or plastic)
- temperature-resistant from -200 °C to +240 °C
- ► silicone-free
- resistant to almost all chemicals, oils and gases
- suitable for solar systems
- ▶ tested up to 45° reverse rotation
- easy handling (time saving)
- ► BAM*
- ► Dispenser 175 m 10026655







TZW
Technologiezentrum Wasser
Karlsruhe





* BAM tested and safety-related evaluatedaccording to leaflet M 034-1 "List of nonmetallic materials compatible with oxygen" (DGUV information 213-075) of BG RCI







SPRAYS AND LIQUIDS

Corrosion protection







Zinc Spray


long-lasting cathodic corrosion protection | paintable | >1050 hours salt spray test according to DIN EN ISO 9227 | NSF certification

10000016

Zinc Spray bright grade







► 400 ml 10000047


certification

Isolation Spray

transparent insulating and finishing varnish based on acrylic resin

▶ 400 ml 10053563





They are used for the care and protection of surfaces, for cleaning and degreasing, lubricating, releasing and separating, and are an essential part in daily work.





Contact Spray

repels moisture | prevents leakage currents

▶ 400 ml 10026740

Surface Cleaner

for the pretreatment of bonding surfaces

▶ 400 ml ▶ 150 ml 10024317 10024313

5 I 1 1 10025288 10025301

▶ 28 L ▶ 10 L 10025292 10053467



Activating Cleaner

Cleaner and primer in one product | for pretreatment of adherends

Universal cleaning agent and bonding agent in one product. Specially developed for the pre-treatment of smooth surfaces, such as stainless steel, glass and plastics.

The spray is used for the optimal preparation of non-absorbent surfaces. The cleaning and activation of non-porous substrates is carried out in only one work step. The spray can improve the adhesive force of the applied adhesive if necessary.

The Activating Cleaner has a short flash-off time and can be applied quickly and easily. This makes it ideal for application in industrial series production with short cycle times or for bonding that has to be carried out at short notice.

► 400 ml 10062859







www.weicon.com



Art.-No. 10067608