SAFETY DATA SHEET



according to WHMIS 2015 and ANSI Z400.1-2010

Flex 310 M Crystal MS-Polymer Presspack

Section 1. Identification

Product identifier	:	Flex 310 M Crystal MS-Polymer Presspack
Product code	:	133521

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Adhesives-Sealants Elasticizer

Supplier's details	: WEICON GmbH & Co. KG Königsberger Str. 255 48157 Münster
	Germany
	Phone: +49 251 93220
	Fax: +49(0)251 / 9322 - 244
	Internet: www.weicon.de
e-mail address of person	: msds@weicon.de

person e-maii addri responsible for this SDS

National contact

WEICON Canada Inc. 20 Steckle Place, Unit 20 Kitchener, Ontario N2E 2C3, CA www.weicon.ca E-mail: info@weicon.ca Telephone: +1-519-896-5252 Telefax: +1-519-896-5254

Emergency telephone	: +1 866 928 0789 (24h - Toll free)
number	TRANSPORT EMERGENCY CONTACT :+1 866 928 0789 ((24h - Toll free)

Section 2. Hazard identification

Classification of the
substance or mixture

: SKIN SENSITIZATION - Category 1A

<u>GHS</u>	label	elements
		_

Hazard pictograms



Signal word	: Warning
Hazard statements	: H317 - May cause an allergic skin reaction.
Precautionary statements	
Prevention	: P280 - Wear protective gloves. P261 - Avoid breathing dust or mist.
Response	 P362 + P364 - Take off contaminated clothing and wash it before reuse. P302 + P352 - IF ON SKIN: Wash with plenty of water. P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention.
Storage	: Not applicable.
Disposal	: P501 - Dispose of waste according to applicable legislation.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	% (w/w)	CAS number
1,3,3,3-Tetrafluoropropylene	≥1 - ≤5	1645-83-6
decanedioic acid, 1,10-bis(1,2,2,6,6-pentamethyl-4-piperidinyl) ester, mixt. with 1-methyl 10-(1,2,2,6,6-pentamethyl- 4-piperidinyl) decanedioate	≥0.1 - ≤1	1065336-91-5

Ranges if listed above for hazardous ingredient(s) are prescribed ranges. The actual concentration(s) or actual concentration range(s) are being withheld as a trade secret.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Most important symptoms/e	ffects, acute and delayed
Potential acute health effect	<u>ets</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.

- **Skin contact** : May cause an allergic skin reaction.
- **Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing

Section 4. First-aid measures

Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
	dical attention and special treatment needed, if necessary
Indication of immediate me Notes to physician	 dical attention and special treatment needed, if necessary Treat symptomatically. Contact poison treatment specialist immediately if large
	quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

Wash contaminated clothing thoroughly with water before removing it, or wear

See toxicological information (Section 11)

Section 5. Fire-fighting measures

gloves.

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst. Bursting aerosol containers may be propelled from a fire at high speed.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	Evacuate s entering. In rapid escap containers a instructions Avoid breat	hall be taken involving ar urrounding areas. Keep in the case of aerosols be be of the pressurized com- are ruptured, treat as a b in the clean-up section. thing vapor or mist. Prov when ventilation is inadeq	unnecessary and unp ing ruptured, care sho tents and propellant. ulk material spillage a Do not touch or walk ide adequate ventilation	protected personnel fro build be taken due to th If a large number of according to the through spilled mater on. Wear appropriate	ne ial.
For emergency responders	:	information	ed clothing is required to in Section 8 on suitable in "For non-emergency p	and unsuitable materi		
Environmental precautions	:	drains and	ersal of spilled material ar sewers. Inform the relev ntal pollution (sewers, wa	ant authorities if the p		
Date of issue/Date of revision		: 9/16/2021	Date of previous issue	: 9/16/2021	Version : 2	3/10

Section 6. Accidental release measures

Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling	1	
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing gas. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Empty containers retain product residue and can be hazardous.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occu	pational	exposure	limits

Ingredient name		Exposure limits
1,3,3,3-Tetrafluoropropylene		OARS WEEL (United States, 1/2021). TWA: 800 ppm 8 hours.
methanol		 [Air contaminant - Curing] CA Alberta Provincial (Canada, 6/2018). Absorbed through skin. 8 hrs OEL: 262 mg/m³ 8 hours. 8 hrs OEL: 200 ppm 8 hours. 15 min OEL: 250 ppm 15 minutes. 15 min OEL: 328 mg/m³ 15 minutes. CA British Columbia Provincial (Canada, 6/2021). Absorbed through skin. TWA: 200 ppm 8 hours. STEL: 250 ppm 15 minutes. CA Ontario Provincial (Canada, 6/2019). Absorbed through skin. TWA: 200 ppm 8 hours. STEL: 250 ppm 15 minutes. CA Quebec Provincial (Canada, 6/2021). Absorbed through skin. TWA: 200 ppm 8 hours. STEL: 250 ppm 15 minutes. CA Quebec Provincial (Canada, 6/2021). Absorbed through skin. TWAEV: 200 ppm 8 hours. STEV: 250 ppm 15 minutes. STEV: 262 mg/m³ 8 hours. STEV: 328 mg/m³ 15 minutes. CA Saskatchewan Provincial (Canada, 7/2013). Absorbed through skin.
te of issue/Date of revision	: 9/16/2021 Date of previous issue	: 9/16/2021 Version : 2 4/

Section 8. Exposure controls/personal protection

STEL: 250 ppm 15 minutes. TWA: 200 ppm 8 hours.
--

Appropriate engineering controls	:	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measur	es	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. Recommended : 1 - 4 hours (breakthrough time): nitrile rubber 4 - 8 hours (breakthrough time): Viton®/butyl rubber
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended : organic vapor (Type AX) and particulate filter

Section 9. Physical and chemical properties

Date of issue/Date of revision	: 9/16/2021 Date of previous issue : 9/16/2021	Version : 2 5/10
Fire point	: 420°C (788°F)	
Flash point	: Closed cup: >93.3°C (>199.9°F)	
Boiling point, initial boiling point, and boiling range	: Not available.	
Melting point/freezing point	: Not available.	
рН	: Not applicable.	
Odor threshold	: Not available.	
Odor	: Characteristic.	
Color	: Colorless.	
Physical state	: Aerosol.	
<u>Appearance</u>		

Section 9. Physical and chemical properties

Evaporation rate	:	Not available.
Flammability	:	Flammable in the presence of the following materials or conditions: open flames, sparks and static discharge. Slightly flammable in the presence of the following materials or conditions: heat.
Lower and upper explosion limit/flammability limit	:	Lower: 0.4% Upper: 2.9%
Vapor pressure	:	

	V	apor Pres	sure at 20°C	۱ ۱	/apor pres	sure at 50°C
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
1,3,3,3-Tetrafluoropropylene	3202.8	427				
trimethoxyvinylsilane	8.93	1.2	EU A.4			
Relative vapor density	: Not ava	ailable.	•			
Relative density	: Not ava	ailable.				
Density	: 1.05 g/	cm³ [20°C	(68°F)]			
Solubility(ies)	:					
Not available.						
Solubility in water	: Not ava	ailable.				
Miscible with water	: No.					
Partition coefficient: n- octanol/water	: Not app	olicable.				
Auto-ignition temperature	: Not app	olicable.				
Decomposition temperature	: Not ava	ailable.				
/iscosity	: Not ava	ailable.				
Flow time (ISO 2431)	: Not ava	ailable.				
Particle characteristics						
Median particle size	: Not app	olicable.				
Aerosol product						
Type of aerosol	: Spray					

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Not available.	
Acute toxicity estimates	
	ATE value
Not available.	
Irritation/Corrosion	
Not available.	
Sensitization	
Not available.	
Mutagenicity Not available.	
Carcinogenicity	
Not available.	
<u>Reproductive toxicity</u> Not available.	
Teratogenicity Not available.	
Specific target organ toxic Not available.	<u>y (single exposure)</u>
Specific target organ toxic Not available.	<u>v (repeated exposure)</u>
Aspiration hazard Not available.	
Information on the likely routes of exposure	: Not available.
Potential acute health effect	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the ph	sical, chemical and toxicological characteristics
Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Date of issue/Date of revision	: 9/16/2021	Date of previous issue	: 9/16/2021	Version : 2	7/10
--------------------------------	-------------	------------------------	-------------	-------------	------

Section 11. Toxicological information

<u>Short term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effe	ect	<u>s</u>
Not available.		
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

N/A

Section 12. Ecological information

<u>Toxicity</u>

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

<u>Mobility in soil</u>	
Soil/water partition	: Not available.
coefficient (Koc)	

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

Date of issue/Date of revision	: 9/16/2021	Date of previous issue	:9/16/2021	Version : 2	8/10
--------------------------------	-------------	------------------------	------------	-------------	------

Section 14. Transport information

	TDG Classification	DOT Classification	IMDG	IATA	
UN number	UN1950	UN1950	UN1950	UN1950	
UN proper shipping name	AEROSOLS	Aerosols	AEROSOLS	Aerosols, non- flammable	
Transport hazard class(es)	2.2	2.2	2.2	2.2	
Packing group	-	-	-	-	
Environmental hazards	No.	No.	No.	No.	
Additional inform	ation		·		
TDG Classification : Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.13-2.17 (Class 2). Explosive Limit and Limited Quantity Index 1 Passenger Carrying Road or Rail Index 75 Special provisions 80, 107					
<u>Packagir</u>		quantity Yes. ng instruction Exceptions: 306. Non-bulk: None. Bulk: None. <u>/ limitation</u> Passenger aircraft/rail: 75 kg. Cargo aircraft: 150 kg.			
		e ncy schedules F-D, S-U . provisions 63, 190, 277, 327, 344, 381, 959			

: **Quantity limitation** Passenger and Cargo Aircraft: 75 kg. Packaging instructions: 203. Cargo Aircraft Only: 150 kg. Packaging instructions: 203. Limited Quantities -

upright and secure. Ensure that persons transporting the product know what to do in

9/10

Passenger Aircraft: 30 kg. Packaging instructions: Y203.

Special provisions A98, A145, A167, A802

the event of an accident or spillage.

Special precautions for user : Transport within user's premises: always transport in closed containers that are

Transport in bulk according : Not available.

to IMO instruments

ΙΑΤΑ

Section 15. Regulatory information

•	-					
Canadian lists						
Canadian NPRI	: None of the	components are listed.				
CEPA Toxic substances	: The followir	ng components are listed	: hydrofluorocarbons			
International regulations						
Chemical Weapon Convent	ion List Sched	ules I, II & III Chemicals				
Not listed.						
Montreal Protocol						
Not listed.						
Stockholm Convention on F	Persistent Orga	anic Pollutants				
Not listed.						
Rotterdam Convention on P	rior informed	<u>Consent (PIC)</u>				
Not listed.						
UNECE Aarhus Protocol on	POPs and Hea	vy Metals				
Date of issue/Date of revision	: 9/16/2021	Date of previous issue	: 9/16/2021	Version	:2	

Section 15. Regulatory information

Not listed.

Inventory list		
Australia	:	Not determined.
Canada	:	Not determined.
China	:	Not determined.
Eurasian Economic Union	:	Russian Federation inventory: All components are listed or exempted.
Japan	:	Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Thailand	:	Not determined.
Turkey	:	Not determined.
United States	:	Not determined.
Viet Nam	:	Not determined.

Section 16. Other information

History	
Date of printing	: 12/23/2022
Date of issue/Date of revision	: 9/16/2021
Date of previous issue	: 9/16/2021
Version	: 2
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals HPR = Hazardous Products Regulations IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations

Procedure used to derive the classification

Classification	Justification
SKIN SENSITIZATION - Category 1A	Calculation method

References

: Not available.

✓ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.