


## Mini-Solar 1,5/2,5 mm<sup>2</sup>

With the three WEICON TOOLS strippers of the Mini-Solar product series, all common solar cables, such as H1Z2Z2-K, can be stripped fast and easily. Adjusting the cutting depth manually is not necessary. The integrated length stop (from 6-28 mm) is suitable for the stripping of solar cables with a conductor cross-section of 1.5 & 2.5 mm<sup>2</sup>, of 4.0 & 6.0 mm<sup>2</sup> or of 10.0 & 16.0 mm<sup>2</sup>. In addition, the three models of the Mini-Solar have an easily accessible side cutter for cables up to 10 mm<sup>2</sup>. Thanks to the precise adjustment during stripping, the strippers always ensure an accurate cutting structure



With the Mini-Solar 1.5/2.5 mm<sup>2</sup> Stripper, all common solar cables can be stripped fast and easily. Adjusting the cutting depth manually is not necessary. The integrated length stop (from 6-28 mm) is suitable for the stripping of solar cables of 1.5 or 2.5 mm<sup>2</sup>. In addition, the glass-fibre reinforced tool has an easily accessible side cutter for cables up to 10 mm<sup>2</sup>. When using the stripper, a precise cutting pattern is created during stripping. In addition, the Mini-Solar 1.5/2.5 mm<sup>2</sup> can be locked for space-saving storage.

### Technical Data

Cable type	for the stripping and skinning of common photovoltaic cables (such as H1Z2Z2-K) with a cross-section of 1.5 & 2.5 mm <sup>2</sup>
Application area	Solar cables with a cross-section of 1.5/2,5 mm <sup>2</sup> (16/14 AWG)
Additional use	Side cutter up to max.10 mm <sup>2</sup>
Material	fibreglass-reinforced polyamide
Inner blade	built-in, not replaceable
Additional value	integrated length stop (from 6-28 mm)
Weight	57 g
Length	125 mm
Article number	MA52003003

Attention:  
Tool not to be used on live cables or conductors.

WEICON Middle East L.L.C.  
United Arab Emirates  
phone +971 4 880 25 05  
info@weicon.ae

WEICON Czech Republic s.r.o.  
Czech Republic  
phone +42 (0) 417 533 013  
info@weicon.cz

WEICON GmbH & Co. KG  
(Headquarters) Germany  
phone +49 (0) 251 9322 0  
info@weicon.de

WEICON Romania SRL  
Romania  
phone +40 (0) 3 65 730 763  
office@weicon.com

WEICON South East Asia Pte Ltd  
Singapore  
Phone (+65) 6710 7671  
info@weicon.com.sg

WEICON Inc.  
Canada  
phone +1 877 620 8889  
info@weicon.ca

WEICON Ibérica S.L.  
Spain  
phone +34 (0) 914 7997 34  
info@weicon.es

WEICON Italia S.r.l.  
Italy  
phone +39 (0) 010 2924 871  
info@weicon.it

WEICON SA (Pty) Ltd  
South Africa  
phone +27 (0) 21 709 0088  
info@weicon.co.za

WEICON Kimya Sanayi Tic. Ltd. Şti.  
Turkey  
phone +90 (0) 212 465 33 65  
info@weicon.com.tr

# Mini-Solar 1,5/2,5 mm<sup>2</sup>

To the product detail  
page:



Attention:  
Tool not to be used on live cables or conductors.

WEICON Middle East L.L.C.  
United Arab Emirates  
phone +971 4 880 25 05  
info@weicon.ae

WEICON Czech Republic s.r.o.  
Czech Republic  
phone +42 (0) 417 533 013  
info@weicon.cz

WEICON GmbH & Co. KG  
(Headquarters) Germany  
phone +49 (0) 251 9322 0  
info@weicon.de

WEICON Romania SRL  
Romania  
phone +40 (0) 3 65 730 763  
office@weicon.com

WEICON South East Asia Pte Ltd  
Singapore  
Phone (+65) 6710 7671  
info@weicon.com.sg

WEICON Inc.  
Canada  
phone +1 877 620 8889  
info@weicon.ca

WEICON Ibérica S.L.  
Spain  
phone +34 (0) 914 7997 34  
info@weicon.es

WEICON Italia S.r.l.  
Italy  
phone +39 (0) 010 2924 871  
info@weicon.it

WEICON SA (Pty) Ltd  
South Africa  
phone +27 (0) 21 709 0088  
info@weicon.co.za

WEICON Kimya Sanayi Tic. Ltd. Şti.  
Turkey  
phone +90 (0) 212 465 33 65  
info@weicon.com.tr

