

Anti-Seize Assembly-Spray



Reliable protection against corrosion, seizing and cold welding

WEICON Anti-Seize is high-temperature-resistant and has excellent separating characteristics.

Anti-Seize is used as a protection, release and lubricating agent for highly stressed parts. Ideally compatible solid contents and selected additives enable a wide range of usage.

WEICON Anti-Seize protects against corrosion, seizure and wear, stick-slip phenomena, oxidation, fretting corrosion and electrolytic reactions ("cold welding").

Technical Data

Base	synthetic oil mixture	
Density	(+20°C) DIN 51757	1,16 g/cm ³
Silicone-free	yes	
Four ball weld test property load	DIN 51350	4.200 N
Four ball weld test weld load	DIN 51350	4.400 N
Four ball weld test calotte value	DIN 51350 (1min/1000N)	0,5 mm
Cone penetration	DIN ISO 2137	310 - 340 1/10 mm
Water resistance	DIN 51807	0 - 90
Pressure	230 N/mm ²	
Thermal conductivity	0,3 W/m·K	
Dielectric strength	DIN EN 60243-1 (20°C)	0,47 kV/mm
Temperature resistance	-180 °C to +1,200 °C	
Approvals / Guidelines		
ISSA Code	53.402.18	

Surface Pre-Treatment

First clean the surface to be lubricated with WEICON Cleaner S, depending on the degree of soiling. If screws have already been used, process with the wire brush and clean with WEICON Cleaner S. For a better spray function, warm the product up to room temperature.

Application

Shake can before use and apply evenly from a distance of approx. 15 cm. With screws, it is important to apply the Assembly Paste down to the base of the thread. This ensures a good sealing effect. In order not to change the properties, the Assembly Paste must not be mixed with greases or oils. WEICON Assembly Pastes do not replace an oil or grease lubrication.

Storage

Container is pressurised. Protect from direct sunlight and temperatures above +50 °C.

Instructions for use

When using WEICON products, the physical, safety-related, toxicological and ecological data and regulations in our EC safety data sheets (www.weicon.com) must be observed.

Available sizes

- 10000216 Anti-Seize Assembly-Spray, 100 ml
- 10000219 Anti-Seize Assembly-Spray, 400 ml

To the product detail page:



Note

The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.

WEICON Middle East L.L.C.
United Arab Emirates
phone +971 4 880 25 05
info@weicon.ae

WEICON Czech Republic s.r.o.
Czech Republic
phone +42 (0) 417 533 013
info@weicon.cz

WEICON GmbH & Co. KG
(Headquarters) Germany
phone +49 (0) 251 9322 0
info@weicon.de

WEICON Romania SRL
Romania
phone +40 (0) 3 65 730 763
office@weicon.com

WEICON South East Asia Pte Ltd
Singapore
Phone (+65) 6710 7671
info@weicon.com.sg

WEICON Inc.
Canada
phone +1 877 620 8889
info@weicon.ca

WEICON Ibérica S.L.
Spain
phone +34 (0) 914 7997 34
info@weicon.es

WEICON Italia S.r.l.
Italy
phone +39 (0) 010 2924 871
info@weicon.it

WEICON SA (Pty) Ltd
South Africa
phone +27 (0) 21 709 0088
info@weicon.co.za

WEICON Kimya Sanayi Tic. Ltd. Şti.
Türkiye
phone +90 (0) 212 465 33 65
info@weicon.com.tr