

Bike Drive Cleaner

cleans and degreases material-friendly

The Bike Drive Cleaner improves the smooth running of the bicycle chain and the basic lubrication of rear derailleur, chain and sprocket stays intact. The efficient special cleaner is suitable for all-purpose use and cleans, degreases and evaporates without leaving residues. The spray removes dirt from bike chains, chain rings, sprockets, rear derailleur, rims, etc., removes leaked bearing grease, is acid-free, and does not attack the treated surfaces. The cleaner is suitable even for sensitive surfaces, like plastics, rubber materials or carbon. Thanks to its residue-free evaporation, the Bike Drive Cleaner can also be used to remove dirt from brakes and brake surfaces. The cleaner is suitable for all types of bicycles: e-bike, mountain bike, gravel bike, racing bike, trekking bike, city bike, Dutch bike, folding bike, and many more.

Technical Data

| | |
|--|---|
| Specific properties | Eficiente, 95 % contenido de sustancia activa |
| Odour | solvent |
| Minimum shelf life at room temperature | 24 mon. |

Application

- spray the part to be cleaned thoroughly from a distance of 5 cm
- allow the cleaner to take effect for a few minutes
- remove coarse dirt with the included brush or with a clean cloth

In case of stubborn dirt, repeat the procedure.

Storage

Container is pressurised. Protect from direct sunlight and temperatures above +50 °C.

Instructions for use

When using WEICON products, the physical, safety-related, toxicological and ecological data and regulations in our EC safety data sheets (www.weicon.com) must be observed.

Available sizes

- 10058809 Bike Drive Cleaner, 500 ml
- 10058954 Bike Drive Cleaner, 500 ml

Conversion table

| | |
|---|---|
| $(^{\circ}\text{C} \times 1.8) + 32 = ^{\circ}\text{F}$ | $\text{Nm} \times 8.851 = \text{lb}\cdot\text{in}$ |
| $\text{mm}/25.4 = \text{inch}$ | $\text{Nm} \times 0.738 = \text{lb}\cdot\text{ft}$ |
| $\mu\text{m}/25.4 = \text{mil}$ | $\text{Nm} \times 141.62 = \text{oz}\cdot\text{in}$ |
| $\text{N} \times 0.225 = \text{lb}$ | $\text{mPa}\cdot\text{s} = \text{cP}$ |
| $\text{N}/\text{mm}^2 \times 145 = \text{psi}$ | $\text{N}/\text{cm} \times 0.571 = \text{lb}/\text{in}$ |
| $\text{MPa} \times 145 = \text{psi}$ | $\text{kV}/\text{mm} \times 25.4 = \text{V}/\text{mil}$ |

To the product detail page:



Note

The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.

WEICON Middle East L.L.C.
United Arab Emirates
phone +971 4 880 25 05
info@weicon.ae

WEICON Czech Republic s.r.o.
Czech Republic
phone +42 (0) 417 533 013
info@weicon.cz

WEICON GmbH & Co. KG
(Headquarters) Germany
phone +49 (0) 251 9322 0
info@weicon.de

WEICON Romania SRL
Romania
phone +40 (0) 3 65 730 763
office@weicon.com

WEICON South East Asia Pte Ltd
Singapore
Phone (+65) 6710 7671
info@weicon.com.sg

WEICON Inc.
Canada
phone +1 877 620 8889
info@weicon.ca

WEICON Ibérica S.L.
Spain
phone +34 (0) 914 7997 34
info@weicon.es

WEICON Italia S.r.l.
Italy
phone +39 (0) 010 2924 871
info@weicon.it

WEICON SA (Pty) Ltd
South Africa
phone +27 (0) 21 709 0088
info@weicon.co.za

WEICON Kimya Sanayi Tic. Ltd. Şti.
Türkiye
phone +90 (0) 212 465 33 65
info@weicon.com.tr