Technical Sprays
Cleaners and Degreasers

Electro Contact Cleaner



Cleans and degreases electrical or mechanical components

Electro Contact Cleaner is a special cleaner for the fast and effective cleaning and degreasing of all kinds of soiled or corroded contacts. It was specially developed for the cleaning of electronic and mechanical components. The special formula with high-purity solvents removes oxide/ sulphide layers, combustion residues and resinous or sooty soiling. Electro Contact Cleaner reduces voltage loss and increases electric conductivity. Contamination that can cause surface leakage current is removed. Electro Contact Cleaner can be used on electrotechnical or mechanical components, such as electrical machines, measuring instruments, tools, balances, switches and sensors or electrical connections, contacts, relays and switchboards.

Technical data

Odour		solvent
Colour		colourless, transparent
Specific properties		ultrapure mixture of solvents
Silicone-free		yes
Minimum shelf life	at room temperature	24 mon.
AOX-free		yes
Compatible with Double Nozzle		yes

Approvals / Guidelines

ISSA Code	53.402.22
IMPA Code	450808

Application

Before using on electrical equipment, first disconnect from the mains and wait a few minutes until the electrical voltage in the equipment has dissipated. Spray the part to be cleaned from a distance of 25-30 cm. Electro Contact Cleaner evaporates very quickly and does not leave any residues. Brushing or wiping supports the cleaning effect. The equipment may only be put into operation after the propellant and cleaning agent have completely evaporated.

Storage

Container is pressurised. Protect from direct sunlight and temperatures above +50 °C.

Instructions for use

When using WEICON products, the physical, safety-related, toxicological and ecological data and regulations in our EC safety data sheets (www.weicon.com) must be observed.

Available sizes

10028866	Electro Contact Cleaner, 400 ml, colourless, transparent

To the product detail page:

Note
The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.

WEICON Middle East L.L.C.
United Arab Emirates
phone +971 4 880 25 05
info@weicon.ae

WEICON Czech Republic s.r.o.
Czech Republic
phone +42 (0) 417 533 013
info@weicon.cz

WEICON GmbH & Co. KG
(Headquaters) Germany
phone +49 (0) 251 9322 0
info@weicon.de

WEICON Romania SRL
Romania
phone +40 (0) 3 65 730 763
office@weicon.com

WEICON South East Asia Pte Ltd
Singapore
Phone (+65) 6710 7671
info@weicon.com.sg

WEICON Colombia S.A.S
Colombia
Phone: +57 314 793 86 06
Email: info@weicon.co

WEICON Inc.
Canada
phone +1 877 620 8889
info@weicon.ca

WEICON Ibérica S.L.
Spain
phone +34 (0) 914 7997 34
info@weicon.es

WEICON Italia S.r.L.
Italy
phone +39 (0) 010 2924 871
info@weicon.it

WEICON SA (Pty) Ltd
South Africa
phone +27 (0) 21 709 0088
info@weicon.co.za

WEICON Kimya Sanayi Tic. Ltd. Şti.
Türkiye
phone +90 (0) 212 465 33 65
info@weicon.com.tr