

Technical Sprays

Multi-Foam powerful foam cleaner

removes even stubborn dirt | cleans without leaving residues

The powerful foam cleaner removes stubborn dirt, such as insect residues, smudges and dirt layers even from painted surfaces. The foam can be used to clean the entire bike from the front light to handlebars, gears, frame, rims, spokes, pedals, saddle, mudguards and the tail light. Multi-Foam can also be used to clean accessories such as the bicycle helmet, child seat, saddlebag or bicycle trailer and gently removes stains from textiles. It cleans all carbon, plastic and metal surfaces without residue and touches up matt and weathered plastic parts.

The Multi-Foam is suitable for all types of bicycles: e-bike, mountain bike, gravel bike, racing bike, trekking bike, city bike, Dutch bike, folding bike, and many more.

Technische Daten

Odour		citrus
Silicone-free		yes
Minimum shelf life		24
Approvals / Guidelines		
IMPA Code		611729
MIL-Spec	complies with	MIL-T-83523

Cleaners and Degreasers

Processing

- shake can thoroughly before use
- spray on from a distance of approx. 25 cm
- allow to take effect for approx. 30 seconds
- wipe off
- ready! In case of stubborn soiling, repeat the procedure. Check colour fastness before use on textiles.

Storage

Container is pressurised. Protect from direct sunlight and temperatures above +50 °C.

Instructions for use

When using WEICON products, the physical, safety-related, toxicological and ecological data and regulations in our EC safety data sheets (www.weicon.com) must be observed.

Available sizes

10059046 Multi-Foam powerful foam cleaner, 400 ml 10058940 Multi-Foam powerful foam cleaner, 400 ml

Conversion table

 $(^{\circ}C \times 1.8) + 32 = ^{\circ}F$ $Nm \times 8.851 = Ib \cdot in$ mm/25.4 = inch $Nm \times 0.738 = Ib \cdot ft$ $\mu m/25.4 = mil$ $Nm \times 141.62 = oz \cdot in$ $\dot{N} \times 0.225 = Ib$ mPa·s = cP $N/mm^2 x 145 = psi$ $N/cm \times 0.571 = Ib/in$ $MPa \times 145 = psi$ $kV/mm \times 25.4 = V/mil$



The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the requested properties are recommended. A claim cannot be derived from them.