SAFETY DATA SHEET



According to Work Health and Safety (WHS) Australia

Flex 310 M 2 K MS-Polymer Comp. A

Section 1. Identification

Product identifier	:	Flex 310 M 2 K MS-Polymer Comp. A
Product code	:	133051

Relevant identified uses of the substance or mixture and uses advised against

Sealants		
Supplier's details	: WEICON GmbH & Co. KG Königsberger Str. 25, 48157 Münster, Germany phone:+49 251 93220, email: info@weicon.de, URL: www.weicon.de	
e-mail address of person : msds@weicon.de responsible for this SDS		
National contact		
WEICON Australia Pty. Ltd 1/55-65 Christensen Road, Stapylton QLD 4207 Phone: +61 493473383		

 Emergency telephone
 : National Poison Information Center: Tel: 131126

 number
 TRANSPORT / EMERGENCY CONTACT (24h): Tel: +61 2 8014 4558 (English)

 TRANSPORT / EMERGENCY CONTACT (24h): Tel.: 1800 074 234 (English)

Section 2. Hazard(s) identification

Classification of the : Not classified. substance or mixture

E-Mail: info@weicon.com.au website: www.weicon.com.au

<u>GHS label elements</u> Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: Not applicable.

Other hazards which do not : None known. result in classification

Section 3. Composition and ingredient information

Substance/mixture

: Mixture

Section 3. Composition and ingredient information

Ingredient name	% (w/w)	CAS number	Classification
3-Aminopropyltrimethoxysilane	<5	13822-56-5	SKIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	≤3	2530-83-8	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

The total concentration of ingredients in this product, reported or not in this section, is 100%.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.	
Inhalation	: No known significant effects or critical hazards.	
Skin contact	: No known significant effects or critical hazards.	
Ingestion	: No known significant effects or critical hazards.	
Over-exposure signs/symptoms		

Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments Protection of first-aiders	 No specific treatment. No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
1	

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment and cleaning up		
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop

up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a

licensed waste disposal contractor. Section 7. Handling and storage

Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

Conditions for safe storage,	
including any	from direct sunlight in a dry, cool and well-ventilated area, away from incompatible
incompatibilities	materials (see Section 10) and food and drink. Keep container tightly closed and
·	sealed until ready for use. Containers that have been opened must be carefully
	resealed and kept upright to prevent leakage. Do not store in unlabeled containers.
	Use appropriate containment to avoid environmental contamination. See Section 10
	for incompatible materials before handling or use.

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure lim	5	
None.		
Appropriate engineering controls	: Good g contam	eneral ventilation should be sufficient to control worker exposure to airborne inants.
Environmental exposure controls	they col cases, f	ons from ventilation or work process equipment should be checked to ensure mply with the requirements of environmental protection legislation. In some fume scrubbers, filters or engineering modifications to the process ent will be necessary to reduce emissions to acceptable levels.
Individual protection measu	S	
Hygiene measures	eating, Approp Wash c	ands, forearms and face thoroughly after handling chemical products, before smoking and using the lavatory and at the end of the working period. riate techniques should be used to remove potentially contaminated clothing. ontaminated clothing before reusing. Ensure that eyewash stations and howers are close to the workstation location.
Eye/face protection	assessi gases c	eyewear complying with an approved standard should be used when a risk ment indicates this is necessary to avoid exposure to liquid splashes, mists, or dusts. If contact is possible, the following protection should be worn, the assessment indicates a higher degree of protection: safety glasses with ields.
Skin protection		
Hand protection	be worr this is n gloves ı 8 hours	al-resistant, impervious gloves complying with an approved standard should a tall times when handling chemical products if a risk assessment indicates ecessary. Recommended : 1 - 4 hours (breakthrough time): Protective made of nitrile rubber (material thickness of 0,4 mm); EN 374-5 Cat. III ; 4 - (breakthrough time): Protective gloves made of Viton®/ butyl rubber al thickness of 0,7 mm); EN388 Cat.II / EN374 Cat.III / EN374-2
Body protection	being p	al protective equipment for the body should be selected based on the task erformed and the risks involved and should be approved by a specialist nandling this product.
Other skin protection	selecte	riate footwear and any additional skin protection measures should be d based on the task being performed and the risks involved and should be ed by a specialist before handling this product.
Respiratory protection	: In case	of insufficient ventilation, wear suitable respiratory equipment.
Section 9. Physic	and c	hemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Color	: Dark grey.
Odor	: Characteristic.
Odor threshold	: Not available.
рН	: Not applicable.
Melting point	: Not available.

Date of issue/Date of revision	:
--------------------------------	---

Section 9. Physical and chemical properties

:

Boiling point, initial boiling point, and boiling range	:	Not available.
Flash point	:	Closed cup: >93.3°C (>199.9°F)
Evaporation rate	:	Not available.
Flammability	:	Flammable in the presence of the following materials or conditions: open flames, sparks and static discharge. Slightly flammable in the presence of the following materials or conditions: heat.
Lower and upper explosion	:	Not available.

limit/flammability limit

Vapor pressure

	V	apor Pres	sure at 20°C	۱	/apor pres	sure at 50°C
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
trimethoxyvinylsilane	8.92576	1.2	EU A.4			
3-Aminopropyltrimethoxysilane	0.14	0.019				
[3-(2,3-epoxypropoxy)propyl] trimethoxysilane	0.0082	0.0011				
Relative vapor density	: Not ava	ailable.				
Relative density	: Not ava	ailable.				
Density	: 1.15 g/	cm³ [20°C	(68°F)]			
Solubility(ies)	:					
Not available.						
Solubility in water	: Not ava	ailable.				
Miscible with water	: No.					
Partition coefficient: n- octanol/water	: Not app	olicable.				
Auto-ignition temperature	: Not app	olicable.				
Decomposition temperature	: Not ava	ailable.				
/iscosity	: Not ava	ailable.				
Flow time (ISO 2431)	: Not ava	ailable.				
Particle characteristics						
Median particle size	: Not app	olicable.				

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
[3-(2,3-epoxypropoxy)propyl] trimethoxysilane	LD50 Oral	Rat	7.01 g/kg	-

Acute toxicity estimates

	ATE value
Not available.	

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
[3-(2,3-epoxypropoxy)propyl] trimethoxysilane	Eyes - Mild irritant	Rabbit	-	100 mg	-
	Skin - Mild irritant	Rabbit	-	500 mg	-

Conclusion/Summary

: Non-irritating (EU). Controlled studies show no risks.

Skin Eyes

: Non-irritating to the eyes. Controlled studies show no risks.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely	: Not available.
routes of exposure	

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

Symptoms related to the	physical	, chemical and	toxicological	characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.

Section 11. Toxicological information

Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>	
Potential immediate effects	Not available.
Potential delayed effects	Not available.
<u>Long term exposure</u>	
Potential immediate effects	Not available.
Potential delayed effects	Not available.
Potential chronic health effect	<u>ts</u>
Not available.	
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	(vapors)	Inhalation (dusts and mists) (mg/l)
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	7010	N/A	N/A	N/A	N/A

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
3-Aminopropyltrimethoxysilane	0.2	-	Low

Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	

Other adverse effects : No known significant effects or critical hazards.

Date of issue/Date of revision	: 2/19/2025	Date of previous issue	: 1/9/2025	Version : 3.3 7/9
--------------------------------	-------------	------------------------	------------	-------------------

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	ADG	ADR/RID	IMDG	ΙΑΤΑ
UN number	Not available.	Not available.	Not available.	Not available.
UN proper shipping name	Not available.	Not available.	Not available.	Not available.
Transport hazard class(es)	Not available.	Not available.	Not available.	Not available.
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

Section 15. Regulatory information

Standard for the Uniform Scheduling of Medicines and Poisons

Not regulated.

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Section 15. Regulatory information

Inventory list		
Australia	All components are listed or exempted.	
Canada	All components are listed or exempted.	
China	All components are listed or exempted.	
Eurasian Economic Union	Russian Federation inventory: All components are listed or exempted	
Japan	Japan inventory (CSCL): All components are listed or exempted. Japan inventory (ISHL): Not determined.	
New Zealand	All components are listed or exempted.	
Philippines	All components are listed or exempted.	
Republic of Korea	All components are listed or exempted.	
Taiwan	All components are listed or exempted.	
Thailand	Not determined.	
Turkey	Not determined.	
United States	All components are active or exempted.	
Viet Nam	All components are listed or exempted.	

Section 16. Any other relevant information

<u>History</u>	
Date of printing	: 2/20/2025
Date of issue/Date of revision	: 2/19/2025
Date of previous issue	: 1/9/2025
Version	: 3.3
Key to abbreviations	: ADG = Australian Dangerous Goods ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group SUSMP = Standard Uniform Schedule of Medicine and Poisons UN = United Nations

Procedure used to derive the classification

Classification	Justification
Not classified.	

References : Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.