SAFETY DATA SHEET



according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Leak Detection Spray frost-proof

Section 1. Identification

| GHS product identifier | : | Leak Detection Spray frost-proof |
|------------------------|---|----------------------------------|
| Product code | : | 116540 |

Relevant identified uses of the substance or mixture and uses advised against

Aerosol product

| Supplier's details | : WEICON Canada Inc. 20 Steckle Place, Unit 20 Kitchener, Ontario N2E 2C3, CA www.weicon.ca E-mail: info@weicon.ca Telephone: +1-519-896-5252 Telefax: +1-519-896-5254 |
|--|--|
| e-mail address of person responsible for this SDS | : msds@weicon.de |
| Emergency telephone | : +1 202 464 2554 / TRANSPORT EMERGENCY CONTACT - USA (24h): Tel: +1 202 |

number 464 2554 Section 2. Hazards identification

| OSHA/HCS status | : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
|--|--|
| Classification of the substance or mixture | : Not classified. |
| GHS label elements | |
| Signal word | : No signal word. |
| Hazard statements | : No known significant effects or critical hazards. |
| Precautionary statements | |
| Prevention | : Not applicable. |
| Response | : Not applicable. |
| Storage | : Not applicable. |
| Disposal | : Not applicable. |
| Hazards not otherwise classified | : None known. |
| | |

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
|--------------|---|
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Skin contact | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| Ingestion | : ₩ash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |

Most important symptoms/effects, acute and delayed

| most important symptoms/ene | oto, doute una delayea | |
|--------------------------------|---|--|
| Potential acute health effects | | |
| Eye contact | No known significant effects or critical hazards. | |
| Inhalation | No known significant effects or critical hazards. | |
| Skin contact | No known significant effects or critical hazards. | |
| Ingestion | No known significant effects or critical hazards. | |
| Over-exposure signs/symptoms | | |
| Eye contact | Adverse symptoms may include the following: irritation redness | |
| Inhalation | Adverse symptoms may include the following: respiratory tract irritation coughing | |
| Skin contact | No specific data. | |

Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

| Notes to physician | : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
|----------------------------|--|
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| Extinguishing media | |
|--|--|
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : None known. |
| Specific hazards arising from the chemical | : In a fire or if heated, a pressure increase will occur and the container may burst. Bursting aerosol containers may be propelled from a fire at high speed. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: nitrogen oxides |

Section 5. Fire-fighting measures

| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. |
|--|--|
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
|---|---|
| For emergency responders | : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| <u>Methods and materials for</u> containment and cleaning up | : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Small spill | : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |

Section 7. Handling and storage

| Precautions for safe handling | 1 |
|--|---|
| Protective measures | : Fut on appropriate personal protective equipment (see Section 8). Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Avoid breathing gas. Avoid breathing vapor or mist. |
| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

| Appropriate engineering controls | se only with adequate ventilation. If user operations generate dust, fumes, gas mist, use process enclosures, local exhaust ventilation or other engineering c keep worker exposure to airborne contaminants below any recommended or nits. | ontrols |
|----------------------------------|---|----------------|
| Environmental exposure controls | missions from ventilation or work process equipment should be checked to en- ey comply with the requirements of environmental protection legislation. In so ases, fume scrubbers, filters or engineering modifications to the process equip ill be necessary to reduce emissions to acceptable levels. | me |
| Individual protection measure | | |
| Hygiene measures | ash hands, forearms and face thoroughly after handling chemical products, be ating, smoking and using the lavatory and at the end of the working period. ppropriate techniques should be used to remove potentially contaminated cloth ash contaminated clothing before reusing. Ensure that eyewash stations and nowers are close to the workstation location. | ning. |
| Eye/face protection | afety eyewear complying with an approved standard should be used when a ris ssessment indicates this is necessary to avoid exposure to liquid splashes, mis ases or dusts. If contact is possible, the following protection should be worn, u e assessment indicates a higher degree of protection: safety glasses with side nields. | sts, Inless |
| Skin protection | | |
| Hand protection | hemical-resistant, impervious gloves complying with an approved standard sho orn at all times when handling chemical products if a risk assessment indicate ecessary. Recommended : 1 - 4 hours (breakthrough time): nitrile rubber 4 burs (breakthrough time): Viton®/butyl rubber | s this is |
| Body protection | ersonal protective equipment for the body should be selected based on the tas erformed and the risks involved and should be approved by a specialist before andling this product. | |
| Other skin protection | ppropriate footwear and any additional skin protection measures should be sel ased on the task being performed and the risks involved and should be approv pecialist before handling this product. | |
| Respiratory protection | case of insufficient ventilation, wear suitable respiratory equipment. | |

Section 9. Physical and chemical properties

| <u>Appearance</u> | |
|---|--|
| Physical state | : Aerosol. |
| Color | : Milky white |
| Odor | : Faint odor. [Slight] |
| Odor threshold | : Not available. |
| рН | Not applicable. |
| Melting point/freezing point | : -210°C (-346°F) |
| Boiling point, initial boiling point, and boiling range | : Not available. |
| Flash point | : Closed cup: Not applicable. |
| Evaporation rate | : Not available. |
| Flammability | Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge and heat. |
| Lower and upper explosion limit/flammability limit | : Not available. |
| Vapor pressure | : 2.3 kPa (17.25 mm Hg) |
| Date of issue/Date of revision | : 11/23/2023 Date of previous issue : 11/21/2023 Version : 3 4/10 |

Section 9. Physical and chemical properties

| Relative vapor density | : | Not available. |
|---------------------------|---|------------------------|
| Relative density | : | Not applicable. |
| Density | : | 1.01 g/cm ³ |
| Solubility(ies) | : | |
| Not available. | | |
| Solubility in water | | Not available. |
| - | • | |
| Partition coefficient: n- | : | Not applicable. |
| octanol/water | | |
| Auto-ignition temperature | : | 400°C (752°F) |
| Decomposition temperature | : | Not available. |
| Viscosity | : | Not applicable. |
| Flow time (ISO 2431) | : | Not available. |
| Particle characteristics | | |
| Median particle size | : | Not applicable. |
| Aerosol product | | |
| Type of aerosol | : | Spray |
| | | |

| Section 10. Stabili | ity and reactivity |
|------------------------------------|--|
| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : No specific data. |
| Incompatible materials | : No specific data. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Acute toxicity estimates

Not available.

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity Not available.

Carcinogenicity

Not available.

Section 11. Toxicological information

Reproductive toxicity Not available. **Teratogenicity** Not available. Specific target organ toxicity (single exposure) Not available. Specific target organ toxicity (repeated exposure) Not available. Aspiration hazard Not available. Information on the likely : Not available. routes of exposure Potential acute health effects Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards. Symptoms related to the physical, chemical and toxicological characteristics Eye contact : Adverse symptoms may include the following:

| Inhalation | irritation redness Adverse symptoms may include the following: respiratory tract irritation coughing |
|--------------|--|
| Skin contact | : No specific data. |
| Ingestion | : No specific data. |

Delayed and immediate effects and also chronic effects from short and long term exposure

| Short term exposure | |
|-------------------------------|---|
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Long term exposure | |
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Potential chronic health effe | ects |
| Not available. | |
| General | : No known significant effects or critical hazards. |
| Carcinogenicity | : No known significant effects or critical hazards. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Teratogenicity | : No known significant effects or critical hazards. |
| Developmental effects | : No known significant effects or critical hazards. |
| Fertility effects | : No known significant effects or critical hazards. |

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

| Soil/water partition | : Not available. |
|----------------------|------------------|
| coefficient (Koc) | |

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

Section 14. Transport information

| | DOT Classification | TDG Classification | Mexico Classification | IMDG | IATA |
|-------------------------------|-----------------------|-----------------------|--------------------------|----------|------------------------|
| UN number | UN1950 | UN1950 | UN1950 | UN1950 | UN1950 |
| UN proper shipping name | Aerosols | AEROSOLS | AEROSOLES | AEROSOLS | Aerosols, flammable |
| Transport hazard class(es) | 2.1 | 2.1 | 2.1 | 2.1 | 2.1 |
| Packing group | - | - | - | - | - |
| Environmental hazards | No. | No. | No. | No. | No. |

| DOT Classification | : <u>Limited quantity</u> Yes. |
|--------------------|--|
| | Packaging instruction Exceptions: 306. Non-bulk: None. Bulk: None. |
| | Quantity limitation Passenger aircraft/rail: 75 kg. Cargo aircraft: 150 kg. |
| | Special provisions N82 |
| TDG Classification | Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.13-2.17 (Class 2). <u>Explosive Limit and Limited Quantity Index</u> 1 <u>Passenger Carrying Road or Rail Index</u> 75 <u>Special provisions</u> 80, 107 |
| | |

| Date of issue/Date of revision | : 11/23/2023 | Date of previous issue | : 11/21/2023 | Version : 3 | 7/10 |
|--------------------------------|--------------|------------------------|--------------|-------------|------|
|--------------------------------|--------------|------------------------|--------------|-------------|------|

U.S. Federal regulations

Section 14. Transport information

| • | | |
|--|---|--|
| Mexico Classification | : | Special provisions 63, 190, 277, 327, 344 |
| IMDG | : | <u>Emergency schedules</u> F-D, S-U <u>Special provisions</u> 63, 190, 277, 327, 344, 381, 959 |
| ΙΑΤΑ | : | Quantity limitation Passenger and Cargo Aircraft: 75 kg. Packaging instructions: 203. Cargo Aircraft Only: 150 kg. Packaging instructions: 203. Limited Quantities - Passenger Aircraft: 30 kg. Packaging instructions: Y203. Special provisions A145, A167, A802 |
| Special precautions for user | : | Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. |
| Transport in bulk according to IMO instruments | : | Not available. |

: TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Section 15. Regulatory information

| : Not listed |
|--------------|
| : Not listed |
| |

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification

: Not applicable.

Composition/information on ingredients

| Name | % | Classification |
|---------------|-----------|--|
| pítrogen | ≥10 - ≤25 | GASES UNDER PRESSURE - Compressed gas |
| Nitrous oxide | | OXIDIZING GASES - Category 1 GASES UNDER PRESSURE - Liquefied gas |

State regulations

| Massachusetts | : | The following components are listed: NITROGEN; NITROUS OXIDE |
|----------------------------|---|--|
| New York | : | None of the components are listed. |
| New Jersey | : | The following components are listed: NITROGEN; NITROUS OXIDE |
| Pennsylvania | : | The following components are listed: NITROGEN; NITROUS OXIDE |
| <u>California Prop. 65</u> | | |

WARNING: This product can expose you to Nitrous oxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

8/10

Section 15. Regulatory information

| • | 0 | Maximum acceptable dosage level |
|---------------|---|---------------------------------------|
| Nitrous oxide | - | - |

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

| <u>Intentery net</u> | |
|-------------------------|--|
| Australia | : Not determined. |
| Canada | : Not determined. |
| China | : Not determined. |
| Eurasian Economic Union | : Russian Federation inventory: All components are listed or exempted. |
| Japan | : Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined. |
| New Zealand | : All components are listed or exempted. |
| Philippines | : Not determined. |
| Republic of Korea | : Not determined. |
| Taiwan | : Not determined. |
| Thailand | : Not determined. |
| Turkey | : Not determined. |
| United States | : Not determined. |
| Viet Nam | : Not determined. |

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)

Section 16. Other information



Procedure used to derive the classification

| | Classification | Justification |
|--------------------------------|----------------|---------------|
| Not classified. | | |
| History | | 4 |
| Date of printing | : 11/28/2023 | |
| Date of issue/Date of revision | : 11/23/2023 | |
| Date of previous issue | : 11/21/2023 | |
| Version | : 3 | |
| Key to abbreviations | | |

References : Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

 \checkmark