

## Dosing and Processing Tools

# Presspack Ergo-Connect



### Instructions for use

When using WEICON products, the physical, safety-related, toxicological and ecological data and regulations in our EC safety data sheets ([www.weicon.com](http://www.weicon.com)) must be observed.

### Available sizes

10060345 Presspack Ergo-Connect, 1 PCE

### Ergonomic dosing tip for WEICON Presspack products

The Ergo Connect processing tip was specially developed for the Presspack containers. Thanks to the new tip, the application is even more comfortable and efficient. The optimised angle geometry ensures fatigue-free working even over longer periods of time. The two-way thread enables an application radius of 180°. During the application, the cap can simply be put on the connector, so it cannot get lost. Ergo Connect is compatible with the WEICON dosing tips and the brush top.

### Presspack

With the Presspack, WEICON products can be applied with just one hand vertically, horizontally and over head. The other hand is free for support or stability - which increases work safety. After removing the tamper-evident seal, the cap can be turned steplessly from MIN to MAX to determine the outflow quantity. This enables a very precise dosage. Turning the rotary cap back to MIN closes the valve completely again, stopping the product flow and protecting it from accidental release. That way, soiling due to dripping is prevented entirely. The patented 2-piston system with two completely separate chambers separates the propellant from the product. That way, the Presspack is completely emptied and no material is wasted.

### Technical Data

Minimum shelf life	at room temperature	∞ mon.
--------------------	---------------------	--------

### Approvals / Guidelines

MIL-Spec	complies with	MIL-T-83523
----------	---------------	-------------

To the product detail page:



### Note

The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.

WEICON Middle East L.L.C.  
United Arab Emirates  
phone +971 4 880 25 05  
[info@weicon.ae](mailto:info@weicon.ae)

WEICON Czech Republic s.r.o.  
Czech Republic  
phone +42 (0) 417 533 013  
[info@weicon.cz](mailto:info@weicon.cz)

WEICON GmbH & Co. KG  
(Headquarters) Germany  
phone +49 (0) 251 9322 0  
[info@weicon.de](mailto:info@weicon.de)

WEICON Romania SRL  
Romania  
phone +40 (0) 3 65 730 763  
[office@weicon.com](mailto:office@weicon.com)

WEICON South East Asia Pte Ltd  
Singapore  
Phone (+65) 6710 7671  
[info@weicon.com.sg](mailto:info@weicon.com.sg)

WEICON Inc.  
Canada  
phone +1 877 620 8889  
[info@weicon.ca](mailto:info@weicon.ca)

WEICON Ibérica S.L.  
Spain  
phone +34 (0) 914 7997 34  
[info@weicon.es](mailto:info@weicon.es)

WEICON Italia S.r.l.  
Italy  
phone +39 (0) 010 2924 871  
[info@weicon.it](mailto:info@weicon.it)

WEICON SA (Pty) Ltd  
South Africa  
phone +27 (0) 21 709 0088  
[info@weicon.co.za](mailto:info@weicon.co.za)

WEICON Kimya Sanayi Tic. Ltd. Şti.  
Türkiye  
phone +90 (0) 212 465 33 65  
[info@weicon.com.tr](mailto:info@weicon.com.tr)